

♂ ♀. S. Dakota. One of the original localities. 8: 317, 319 (1895). Emery states that a female from S. Dakota was scarcely larger than the worker, with the thorax dark brown, the sculpture rougher.

Type locality of *yankee*, Hill City, S. D.

- *9. *Leptothorax (Leptothorax) hirticornis* n. sp. (*Leptothorax (Mychothorax) hirticornis* Emery)
 1 ♂. Washington, D. C., from Mr. Pergande. 8: 317, 319 (1895). The present author has shown (Proc. Ent. Soc. Wash. 41: 176 (1939)) that the type locality of *hirticornis* is Hill City, S. D. and not Washington, D. C. He believes that *hirticornis* is an inquilinous form which will be found in the nest of some species of *Formica*, most probably *obscuripes* Forel or *melanotica* Emery. There is also reason to assume that this ant will have ergatoid males superficially resembling those of *Formicoxenus nitidulus* (Nyl.) of Europe.
- *10. *Leptothorax (Leptothorax) curvispinosus* Mayr subsp. *ambiguus* n. subsp. (*Leptothorax (Leptothorax) ambiguus* Emery)
 ♂. Hill City, S. Dakota (Pergande). One of the original localities. Type locality of *ambiguus*, Hill City, S. D.
11. *Leptothorax (Leptothorax) rugatulus* n. sp. (*Leptothorax (Leptothorax) rugatulus* Emery)
 ♂. S. Dakota. One of the two original localities. 8: 317, 321 (1895).
 Type locality of *rugatulus*, Colo.
- *12. *Leptothorax (Leptothorax) tricarinatus* n. sp. (*Leptothorax (Leptothorax) tricarinatus* Emery)
 1 ♂. Hill City, S. Dakota, from Mr. Pergande. Only locality mentioned. 8: 318, 321-322 (1895).
 Type locality of *tricarinatus*, Hill City, S. D.
13. *Brachymyrmex heerii* Forel, subsp. *depilis* n. subsp. (*Brachymyrmex depilis* Emery)
 ♂. Dakota, from Mr. Pergande. One of the original localities. 7: 635 (1893).
 Type locality of *depilis*, D. C.