teen winged females from four colonies (Nov. 1 and 14). The females are 9.10 mm. long. The head, excluding the mandibles, is very little longer than broad, convex and rounded on the sides behind the eyes, contracted and concave in the region of the cheeks and with a broad, shallow occipital excision. The tips of the antennal scapes reach to a little more than $\frac{2}{3}$ the distance between the eyes and the posterior corners of the head. The body is dark brown, with the mandibles, clypeus, antennæ, head, pronotum, thoracic sutures, tarsi, venter, anterior and posterior borders of the gastric segments dull orange yellow. The front and a large portion of the upper posterior surface of the head dark brown. The wings have a pronounced yellow tinge, with dark brown stigma and scapular vein; the remaining veins being light brown. Pile and pubescence like those of the worker; antennal scapes and legs with prominent erect hairs.

- 31. Azteca foreli *Emery*.— Numerous workers of all sizes, agreeing perfectly with Emery's original description of this species.
- 32. Azteca schimperi Emery.— Numerous workers of all sizes taken from a paper nest which Mr. Johnson has forwarded to the American Museum. This nest, which is represented in Plate XII, was suspended from the branches of a tree. It is regularly egg-shaped, 15 cm. long and 9.5 cm. through its greatest diameter, and consists of dark brown, hard and friable carton. The outer surface is ornamented with broad flat carton scales of a paler and slightly reddish color. The numerous openings, scattered irregularly over the surface, are mostly elliptical and vary from 3 to 6 mm. in diameter.

Camponotinæ.

- 33. Prenolepsis longicornis Fabr.—Numerous workers.
- 34. **Prenolepsis guatemalensis** Forel.—Several workers and males which agree very closely with typical specimens of this species received from Prof. Forel.
- 35. **Prenolepsis sp.**—Three workers which I hesitate to refer to any of the described species, as they are not accompanied by males.
- 36. Camponotus abdominalis ustulatus Forel.— A number of soldiers and workers and two winged females taken Nov. 15, from "an empty hornet's nest."
- 37. Camponotus abdominalis stercorarius Forel.—Several soldiers and workers.
- 38. **Camponotus planatus** Roger.—Several soldiers and workers of a pale variety of this common neotropical species.
- 39. Camponotus formicæformis Forel.— A number of soldiers and workers.