

## Subfamily CAMPONOTINÆ.

68. **Brachymyrmex patagonicus** *Mayr.* More than a dozen workers from Kaieteur and six dealated females from Tukeit (Lutz).

69. **Prenolepis (Nylanderia) longicornis** *Fabr.* A few workers taken on board the steamship "Korona."

70. **Prenolepis (Nylanderia) cæcilie** *Forel.* Numerous workers and three winged females from Kaieteur (Lutz).

71. **Prenolepis (Nylanderia) lietzi** *Forel.* Four workers from Kauwa Creek, Roraima (Crampton).

72. **Gigantiops destructor** *Fabr.* Several workers and a dealated female from Kaieteur, Tukeit and Tumatumari (Lutz).

73. **Dendromyrmex fabricii** *Roger.* Three workers and a dealated female from Tukeit (Lutz), together with their small carton nest on the under side of a leaf. The worker agrees very closely with Roger's description based on specimens from Surinam. The female measures about 7 mm. and very closely resembles the worker except that the basal segments of the gaster are darker and the legs are deep red instead of testaceous.

74. **Dendromyrmex fabricii** *Roger* var. **rufescens** var. nov.

*Worker.* Differing from the typical form in color, the whole body and the appendages being ferruginous red, the gaster considerably darker and more brownish, with the posterior portions of each segment blackish and the clypeus, mandibles and anterior border of the head more yellowish. The appressed pubescence on the gaster is a little sparser than in the typical form, so that the punctate integument is more clearly visible.

Numerous specimens from Tukeit (Lutz).

75. **Dendromyrmex nidulans** *F. Smith* var. **nigripes** var. nov.

*Worker.* Differing from the typical form in having the legs and antennal funiculi black or very dark brown, with only the terminal tarsal joints and the tip of the last funicular joint reddish. The gaster is golden brown as in typical specimens from Brazil.

*Female.* Differing from the female of typical *nidulans* in the same characters as the worker. The wings have the veins bordered with dark brown as in the type. Several workers and a single female from Kaieteur (Lutz).

76. **Dendromyrmex chartifex** *F. Smith* var. **felis** *Mann* (MS.).

*Worker.* Differing from the typical form in having the body opaque and densely and finely punctate. Hairs on the head, thorax and gaster somewhat more abundant. There is no appreciable difference in color.