



Fig. 4. *Pheidole aglae* Forel (A, C-G: Eg96-BOR-229; B: Eg96-BOR-072): A, B, major, head in full-face view; C, same, head in profile; D, same, alitrunk and waist in profile; E, minor, head in full-face view; F, same, head in profile; G, same, alitrunk and waist in profile.

Minor Measurements and indices (n=10): TL 2.7-3.0 mm, HL 0.77-0.91 mm, HW 0.55-0.65 mm, SL 1.07-1.30 mm, AL 1.14-1.33 mm, FL 1.18-1.45 mm, CI 69-73, SI 187-202, FI 209-225. Head in full-face view oval; occipital carina forming a well-developed flange (Fig. 4E, F). Clypeus without a median longitudinal carina (or rarely with inconspicuous carina), with anterior margin in full-face view truncate medially. Eyes situated just in front of midlength of head; distance between mandibular insertion and anterior margin of eye 0.9-1.0 times as long as maximal diameter of eye. Frontal carina and antennal scrobe present only around antennal insertion. Antenna with 3-segmented club; in full-face view scape extending beyond posterior border of head by more than its 1/3 length; terminal segment 0.7-0.8 times as long as preceding two segments together. Promesonotal dome with a low prominence on its posterior declivity (Fig. 4G). Mesopleuron without a transverse impression. Propodeal spine elongate-triangular, 1.5-2.5 times as long as diameter of propodeal spiracle. Petiole in profile cuneiform, 1.2-1.3 times as long as postpetiole (excluding helcium); petiolar node low, in posterior view not emarginate at apex. Postpetiole in dorsal view subpentagonal, ca. 2.0 times as broad as petiolar node.

Area between antennal insertion and eye weakly punctured; clypeus smooth and shining, or very weakly punctured; remainder of head smooth and shining (rarely punctured weakly); promesonotal dome smooth and shining, or concentrically puncto-rugose in dorsal view; remainder of alitrunk punctured; lateral face of petiole punctured; dorsum of petiole, and postpetiole and gaster almost smooth and shining. Prominence on posterior declivity of promesonotum, and dorsum of propodeum in profile each bearing at least two pairs of standing hairs. Body colour pattern similar to that of the major.