



Figs. 46-50. 46, Petiole and postpetiole of holotype worker of *Leptothorax neomexicanus*; 47, Propodeum, petiole and postpetiole of *L. stenotyle*, as seen in profile; 48, Propodeum and petiole of a worker of *L. gallae*, as seen in profile; 49, Mesosoma of a cotype worker of *L. gallae* (left) and of a worker of *L. nevadensis* (right), as seen from above; 50, Dorsum of the petiole of a cotype worker of *L. gallae* (left) and of the petiole of a worker of *L. nevadensis* (right).

- 60(58). Relatively small, total worker length approximately 2.5mm, yellowish-brown with dorsum of head slightly darker, rarely bicolored; nests under rocks *rugatulus* Emery
- Large ants, total worker length over 3mm; bicolored, head and gaster black, mesosoma dark reddish brown; nests in branches of oak trees *josephi* new species

CLAVE PARA LA IDENTIFICACIÓN DE OBRERAS DE LAS
ESPECIES DE MYRAFANT EN MÉXICO Y GUATEMALA
(*SIGNIFICA QUE NO HA SIDO COLECTADA EN MÉXICO, PERO
OCURRE CERCA DEL BORDE)

Nota: Sin duda alguna, hay muchas especies desconocidas en