

Female measurements (mm): HL 0.79-0.90, HW 0.77-0.82, SL 0.59-0.62, EL 0.22-0.23, WL 1.31-1.39, PW 0.22-0.25, PL 0.25-0.30, PPW 0.36-0.38, PPL 0.19-0.20. Indices: CI 91-97, SI 66-78, PI 73-100, PPI 189-190.

Mandible with 5 or 6 teeth, only 3 or 4 are well defined; clypeus shining, with medial carina and several lateral carinae; clypeal border slightly concave; eyes large, extending past sides of head; ocelli well developed; scape extending slightly past posterior corners of head; vertex straight; propodeal spines large and well developed; petiole with nearly straight anterior and posterior faces, petiolar node sharply angulate.

Erect hairs abundant on most surfaces, mostly with sharpened ends, legs and antennae with semierect hairs; decumbent pubescence consisting of long, scattered hairs on gaster.

Sculpture much more coarse than in worker, head with fine rugae, those between eye and mandible in form of semicircle, with center at point of insertion of antennae, much of mesosoma smooth and shining, sides of mesosoma strongly polished, propodeum with rugae which converge on tip of propodeal spines, sides of petiole and postpetiole shining, but with a few fine rugae and scattered punctures, gaster completely smooth and shining.

Concolorous dark brown.

Male measurement (mm): HL 0.44-0.49, HW 0.44-0.46, SL 0.10-0.11, EL 0.19-0.20, WL 0.88-0.90, PW 0.11-0.13, PL 0.14-0.18, PPW 0.17-0.19, PPL 0.14-0.15. Indices: CI 94-100, SI 22-23, PI 72-79, PPI 121-127.

Mandible with apical and subapical teeth defined, others present as small denticles; medial anterior border of clypeus nearly straight (slightly convex), clypeus with transverse rugae; eyes large; ocelli well developed; scape short; propodeal spines or angles absent; petiole with convex anterior face, posterior face convex, but broadly curving into posterior collar, petiolar node blunt and rounded.

Hairs erect and scattered on most surfaces, suberect on antennae and legs; decumbent pubescence sparse and only on gaster, consisting of long hairs.

Sculpture consisting of dense punctures on head, transverse rugae on anterior of clypeus, sides of mesosoma mostly smooth and shining, propodeum with scattered punctures on most surfaces, petiole and postpetiole mostly smooth and shining, gaster completely smooth and shining.

Color: dark concolorous brown.

Type series: Holotype worker (MCZC), 12 paratype workers, 12