on a Leica Z16 APO microscope with a Leica Motor-focus System attached to an IBM Intellistation M Pro computer, on which composite images were assembled using Auto-Montage Pro Version 5.03.0018 BETA software® (Synoptics Ltd.). Scanning electron micrographs were taken using an Amray 1810 Scanning Electron Microscope (SEM) with LaB6 electron source. Specimens were sputter-coated with 20–30 nm gold/palladium alloy 60:40 wt% in a Cressington Scientific 108auto/SE. During the coating process, the samples were tilted and rotated to ensure uniform coverage. Images were cropped and enhanced using Photoshop CS2 Version 9.0.2® (Adobe Inc.). Morphological terminology employed throughout follows Bolton (1994) with modifications where noted. Anatomical abbreviations are as follows:

TI	T T 41	. 1.	, C 1	
EL	Eve Length:	maximum diame	eter of compound e	ve in full-face view.

GL	Gaster Length: the length of the gaster in lateral view from the anteriormost point of first gas-
	tral segment (fourth abdominal segment) to the posteriormost point.

HL Head Length: the length of the head proper, excluding the mandibles; measured in full-face view from the midpoint of the anterior clypeal margin to a line drawn across the posterior margin of cephalic lobes.

HW Head Width: the maximum measurable width of the head in full-face view.

ML Mandible Length: in ventral view, the distance from a line drawn across the lateral condyles where the mandibles attach the cephalic capsule to the apical tooth with the mandibles closed.

ML' Mandible length: in full-face view, the distance from the anterior margin of the clypeus to the apical tooth with the mandibles closed.

MW Mandible Width: in full-face view, the maximum measurable width of the mandible.

PL Petiole Length: the straight line from the posteriormost margin of the petiole to the posteriormost margin of the metapleural lobe, in lateral view.

PPL Postpetiole Length: the maximum length of the postpetiole in lateral view.

PSL Propodeal Spine Length: the distance from the tip of the propodeal spine to the nearest border of the propodeal spiracle.

PW Pronotal Width: the maximum width of the pronotum in dorsal view, measured as the distance between the tips of the lateral pronotal spines.

SL Scape Length: the maximum length of the antennal scape excluding the condylar bulb.

TL Total Length: HL+ML+WL+PL+PPL+GL.

WL Weber's Length: in lateral view, the distance from the posteriormost border of the metapleural

lobe to the anteriormost border of the pronotum.

CI Cephalic Index: (HW/HL) X 100.

MI Mandibular Index: (ML/HL) X 100.

PI Petiolar Length Index: (PL/WL) X 100.

PSI Propodeal Spine Index: (SpL/WL) X 100.

SI Scape Index: (SL/HW) X 100.

Systematic treatment

Daceton Perty

Daceton Perty, 1833: 136. Type-species: Formica armigera Latreille, 1802: 244, by monotypy. Dacetum Agassiz, 1848: 332, unjustified emendation of Daceton. [Synonymy by Brown, 1973: 179.]

A complete diagnosis of the genus is provided by Bolton (1999, 2000).