

bicornis is interesting, as the species has so far not been found in a sporadically inundated habitat. In faunistic respect the record is not surprising as *L. bicornis* occurs in the countries neighbouring Slovenia, for which recent faunistic data are available, i.e. Italy (Poldi et al. 1995), Hungary (Gallé et al. 1998) and Austria (Steiner et al. 2003).

Acknowledgements

Our thanks go to the Center za kartografijo favne in flore (Miklavž na Dravskem polju), especially to M. Kotarac, for partly funding the trapping-programme; to M. Stachowitsch for linguistic improvements.

References

- Bračko, G.**, 2000: Review of the ant fauna (Hymenoptera: Formicidae) of Slovenia. *Acta Biol. Slov.* 43(4): 37-54.
- Buschinger, A.**, 1971: Zur Verbreitung der Sozialparasiten von *Leptothorax acervorum* (Fabr.) (Hym., Formicidae). *Bonn. zool. Beitr.* 22: 322-331.
- Gallé, L., S. Csösz, A. Tartally, É. Kovács**, 1998: A check-list of Hungarian ants. *Folia entomol. hung.* 59: 213-220.
- Mei, M.**, 1984: Nuovi reperti di formicidi per l'Italia centrale (Hymenoptera, Formicidae). *Boll. Ass. Romana Entomol.* 37: 1-4.
- Poldi, B., M. Mei, F. Rigato**, 1995: Hymenoptera Formicidae. pp. 1-10. In: Minelli, A., S. Ruffo, S. La Posta (eds.): Checklist delle specie della fauna italiana. Calderini, Bologna.
- Schlick-Steiner, B.C., F.M. Steiner, B. Seifert**, 2002: *Lasius flavus* - a host species of *Lasius mixtus* (Hymenoptera: Formicidae). *Sociobiology* 39: 1-3.
- Seifert, B.**, 1988a: A revision of the European species of the ant subgenus *Chthonolasius* (Insecta, Hymenoptera, Formicidae). *Entomol. Abh. Mus. Tierkd. Dresden* 51: 143-180.
- Seifert, B.**, 1988b: A taxonomic revision of the *Myrmica* species of Europe, Asia Minor, and Caucasia (Hymenoptera, Formicidae). *Abh. Ber. Naturkundemus. Görlitz* 62: 1-75.
- Seifert, B.**, 1996: Ameisen: beobachten, bestimmen. Naturbuch Verlag, Augsburg. 352 pp.
- Seifert, B., A. Buschinger**, 2001: Pleometrotische Koloniegründung von *Lasius meridionalis* (Bondroit, 1920) bei *Lasius paralienus* Seifert, 1992, mit Bemerkungen über morphologische und ethologische Anpassungen an die sozialparasitische Koloniegründung (Hymenoptera: Formicidae). *Myrmecol. Nachr.* 4: 11-25.
- Seifert, B.**, 2002: The "type" of *Myrmica bessarabica* Nasonov 1889 and the identity of *Myrmica salina* Ruzsky 1905 (Hymenoptera: Formicidae, Myrmicinae). *Mitt. Münch. Ent. Ges.* 92: 93-100.