

155–185.

- Forel, A. (1908) Fourmis de Costa-Rica récoltées par M. Paul Biolley. *Bulletin de la Société Vaudoise des Sciences Naturelles*, 44, 35–72.
- Forel, A. (1915) Fauna insectorum helvetiae. Hymenoptera. Formicidae. Die Ameisen der Schweiz. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft or Bulletin de la Societe Entomologique Suisse*, 12(7/8), 1–77.
- Longino, J.T., Colwell, R.K. & Coddington, J.A. (2002) The ant fauna of a tropical rainforest: estimating species richness three different ways. *Ecology*, 83, 689–702.
- Mayr, G. (1870) Neue Formiciden. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien*, 20, 939–996.
- Moreau, C.S. (2008) Unraveling the evolutionary history of the “hyperdiverse” ant genus *Pheidole* (Hymenoptera: Formicidae). *Molecular Phylogenetics and Evolution*, 48, 224–239.
- Pergande, T. (1896) Mexican Formicidae. *Proceedings of the California Academy of Sciences*, (2)5, 858–896.
- Tennant, L.E. (1994) The Ecology of *Wasmannia auropunctata* in primary tropical rainforest in Costa Rica and Panama. In: Williams, D.F. (Ed.) *Exotic ants: Biology, impact, and control of introduced species*. Westview Press, Boulder, Colorado. 332 p., pp. 80–90.
- Wheeler, W.M. (1905) The ants of the Bahamas, with a list of the known West Indian species. *Bulletin of the American Museum of Natural History*, 21, 79–135.
- Wheeler, W.M. (1907) A collection of ants from British Honduras. *Bulletin of the American Museum of Natural History*, 23, 271–277.
- Wheeler, W.M. (1908) The ants of Jamaica. *Bulletin of the American Museum of Natural History*, 24, 159–163.
- Wheeler, W.M. (1934) Neotropical ants collected by Dr. Elisabeth Skwarra and others. *Bulletin of the Museum of Comparative Zoology*, 77, 157–240.
- Wilson, E.O. (2003) *Pheidole in the New World: A Dominant, Hyperdiverse Ant Genus*. Harvard University Press, Cambridge, Massachusetts, 794 pp.