

and improving the English text. This project has been financially supported by a grant from TMU, Tehran, to M.R. Nikbakhtzadeh under reg. number 51/60890.

REFERENCES

1. Bolton B. Identification of the ant genera of the world. Cambridge, Massachusetts: Harvard University Press; 1994. 232 p.
2. Bolton B. Synopsis and classification of Formicidae. Mem Am Entomol Inst. 2003;71:1-370.
3. Peeters C. Morphologically ‘primitive’ ants: comparative review of social characters, and the importance of queen-worker dimorphism. In: Choe JC, Crespi BJ, editors. Social Behaviour in Insects and Arachnids. Cambridge: Cambridge University Press; 1997. 372-91 p.
4. Morgan ED, Jungnickel H, Keegans SJ, do Nascimento RR, Billen J, Gobin B, Ito F. Comparative survey of abdominal gland secretions of the ant subfamily Ponerinae. J Chem Ecol. 2003;29(1):95-114.
5. Ortiz G, Camargo Mathias MI. Venom gland of *Pachycondyla striata* worker ants (Hymenoptera: Ponerinae). Ultrastructural characterization. Micron. 2006;37(3):243-8.
6. Bolton B. A taxonomic and zoogeographical census of the extant ant taxa (Hymenoptera: Formicidae). J Nat Hist. 1995;29(4):1037-56.
7. Fukuzawa M, Arakura F, Yamazaki Y, Uhara H, Saida T. Urticaria and anaphylaxis due to sting by an ant (*Brachyponera chinensis*). Acta Derm Venereol. 2002;82(1):59.
8. Kim S, Hung C. A case of anaphylaxis by ant (*Ectomomyrmex* spp.) venom and measurements of specific IgE and IgG subclasses. Yonsei Med J. 1992;33(3):281-7.
9. Mill AE. Predation by the ponerine ant *Pachycondyla commutata* on termites of the genus *Syntermes* in Amazonian rain forest, Brazil. J Nat Hist. 1984;18(3):405-10.
10. Wild AL. The genus *Pachycondyla* (Hymenoptera: Formicidae) in Paraguay. Bol Mus Nac Hist Nat Parag. 2002;14(1-2):1-8.
11. Klotz JH, deShazo RD, Pinna JL, Frishman AM, Schmidt JO, Suiter DR, Price GW, Klotz SA. Adverse reactions to ants other than imported fire ants. Ann Allergy Asthma Immunol. 2005;95(5):418-25.