

Taxon	Author	Year	Reference
<i>Podomyrma basalis woodfordi</i>	Mann, 1919: 334	1919	3, 8
<i>Pristomyrmex levigatus</i>	Emery, 1897a: 583	1919	3, 52, 79
<i>Pristomyrmex obesus</i>	Mann, 1919: 339	1919	3, 8, 80, 52
<i>Rogeria megastigmatica</i>	Kugler, C. 1994: 35	1994	45, 79
<i>Rogeria stigmatica</i>	Emery, 1897: 589	1919	3, 8, 34, 45
<i>Romblonella elysii</i>	(Mann, 1919): 346	1919	3, 8, 44
<i>Solenopsis geminata*</i>	(Fabricius, 1804): 423	1977	36
<i>Solenopsis papuana</i>	Emery, 1900: 330	1919	3, 79
<i>Solenopsis pawaensis</i>	Mann, 1919: 329	1919	3, 79
<i>Stereomyrmex dispar</i>	(Wheeler, W.M. 1934): 175	1934	6, 18, 34, 44
<i>Strumigenys chyzeri</i>	Emery, 1897a: 576	1919	3, 48, 79
<i>Strumigenys decollata</i>	Mann, 1919: 353	1919	3, 8, 12, 48
<i>Strumigenys emmae*</i>	Emery, 1890: 70	1976	34, 36, 48, 81
<i>Strumigenys eurycera</i>	Emery, 1897a: 581	2000	48, 81
<i>Strumigenys frivaldszkyi</i>	Emery, 1897: 580	1976	34, 48, 79
<i>Strumigenys godeffroyi*</i>	Mayr, 1866: 516	1919	3, 15, 34, 36, 47, 48, 79
<i>Strumigenys karawajewi</i>	(Brown, 1948): 44	1976	34, 46, 48, 79, 81
<i>Strumigenys membranifera*</i>	(Emery, 1869): 24	2000	48, 36, 81
<i>Strumigenys mocsaryi</i>	(Emery, 1897a): 580	2000	48
<i>Strumigenys rogeri*</i>	Emery, 1890: 68	2000	48
<i>Strumigenys szalayi</i>	Emery, 1897: 578	2000	48, 79
<i>Strumigenys undras</i>	Bolton, 2000: 752	2000	48
<i>Strumigenys yaleopleura</i>	Brown, 1988: 41	2000	48
<i>Tetramorium antennatum</i>	(Mann, 1919): 350	1919	3
<i>Tetramorium aspersum</i>	(Smith, F. 1865): 72	1919	3, 6, 8, 35, 79
<i>Tetramorium bicarinatum*</i>	(Nylander, 1846): 1061	1919	3 ⁸ , 6 ⁸ , 8 ⁸ , 15 ⁸ , 34 ⁸ , 35, 36
<i>Tetramorium carinatum</i>	(Smith, F. 1859): 148	1919	3, 8
<i>Tetramorium insolens</i>	(Smith, F., 1861)	1934	6, 8, 18, 34, 35
<i>Tetramorium lanuginosum*</i>	Mayr, 1870: 976	1935	8, 69
<i>Tetramorium mayri</i>	(Mann, 1919: 351)	1919	3, 8, 79
<i>Tetramorium melanogyna</i>	Mann, 1919: 345	1919	3, 8, 79
<i>Tetramorium mutatum</i>	Bolton, 1985: 247	1919	3, 8, 69
<i>Tetramorium pacificum</i>	Mayr, 1870: 976	1934	6, 8, 18, 34, 35
<i>Tetramorium salomo</i>	Mann, 1919: 344	1935	8, 35, 79
<i>Tetramorium simillimum*</i>	(Smith, F. 1851): 118	1959	15, 34, 35, 36, 79
<i>Tetramorium tonganum</i>	Mayr, 1870: 976	1919	3, 8, 15, 18, 34, 35
<i>Tetramorium vombis</i>	Bolton, 1976: 358	1985	3 ⁹ , 34 ⁹ , 69
<i>Vollenhovia dentata</i>	Mann, 1919: 325	1919	3, 8, 24, 79
<i>Vollenhovia dentata marginata</i>	Mann, 1919: 327	1919	3, 8, 24
<i>Vollenhovia elysii</i>	Mann, 1919: 327	1919	3, 8, 24
<i>Vollenhovia foveiceps</i>	Mann, 1919: 328	1919	3, 8, 24
<i>Vollenhovia loboii</i>	Mann, 1919: 324	1919	3, 8, 24
<i>Vollenhovia oblonga</i>	(Smith, F. 1861): 46	1959	18, 34, 43
<i>Vollenhovia oblonga pedestris</i>	(Smith, F. 1860): 107	1919	3, 8, 15, 79
<i>Vollenhovia subtilis</i>	Emery, 1887: 454	1919	3, 8
<i>Wasmannia auropunctata*</i>	(Roger, 1863a): 183	1984	40, 75, 76, 77, 79

⁸ Misidentified as *Tetramorium guineense* (Bernard).

⁹ Misidentified as *Tetramorium obesum* André.