

## REFERENCES

- Bolton, B. 2003. Synopsis and classification of Formicidae. Memoirs of the American Entomological Institute, 71: 1–370.
- Bolton, B. 2011. Bolton's Catalogue and Synopsis. Available at: <http://gap.entelclub.org/>. Version: 3 January 2011.
- Dlussky, G. M. 2002a. Ants of the genus *Dolichoderus* Lund (Hymenoptera: Formicidae) from the Baltic and Rovno ambers. Paleontological Journal, 36: 50–63.
- Dlussky, G. M. 2002b. Syntypes of Baltic amber ants *Formica flori* Mayr and *Ponera atavia* Mayr (Hymenoptera: Formicidae). Russian Entomological Journal, 11: 1–8.
- Dlussky, G. M. 2008a. Ants of the tribe Formicinae (Hymenoptera, Formicidae) from Late Eocene amber of Europe. Paleontological Journal, 42: 500–513.
- Dlussky, G. M. 2008b. New data on ants of the genus *Dolichoderus* Lund (Hymenoptera, Formicidae) from Late Eocene ambers of Europe. Vestnik Zoologii, 42: 497–514. (In Russian).
- Dlussky, G. M. 2009. The ant subfamilies Ponerinae, Cerapachyinae, and Pseudomyrmecinae (Hymenoptera, Formicidae) in the late Eocene ambers of Europe. Paleontological Journal, 43: 1043–1086.
- Dlussky, G. M. 2010. Ants of the genus *Plagiolepis* Mayr (Hymenoptera, Formicidae) from late Eocene ambers of Europe. Paleontological Journal, 44: 546–555.
- Dlussky, G. M. and E. B. Fedoseeva. 1988. Origin and early stages of the evolution of the ants (Hymenoptera, Formicidae). In: A. G. Ponomarenko (Ed.). Melovoi biocenoticheskii krizis i rannie etapy evolyucii nasekomykh. Izdatelstvo Nauka, Moscow, p. 70–144 (in Russian).
- Dlussky, G. M. and E. E. Perkovsky. 2002. Ants (Hymenoptera, Formicidae) from the Rovno amber. Vestnik Zoologii, 36: 3–20 (in Russian).
- Dlussky, G. M. and A. Radchenko. 2006a. *Fallomyrma* gen. nov. a new myrmicine ant genus (Hymenoptera: Formicidae) from the Late Eocene European amber. Annales Zoologici, 56: 153–157.
- Dlussky, G. M. and A. Radchenko. 2006b. New ant genus from the late Eocene European amber. Acta Palaeontologica Polonica, 51: 561–567.
- Dlussky, G. M. and A. Radchenko. 2009. Two new primitive ant genera from the late Eocene European ambers. Acta Palaeontologica Polonica, 54: 435–441.
- Dlussky, G. M. and A. Radchenko. 2011. *Pristomyrmex rasnitsyni* sp. n., the first known fossil species of the ant genus *Pristomyrmex* Mayr (Hymenoptera, Formicidae) from the Late Eocene Danish Amber. Russian Entomological Journal, 20: 251–254.
- Dlussky, G. M. and A. P. Rasnitsyn. 2009. Ants (Insecta: Vespoidea: Formicidae) in the Upper Eocene amber of Europe. Paleontological Journal, 43: 1024–1042.
- Perkovsky, E. E., Rasnitsyn, A. P., Vlaskin, A. P. and M. V. Taraschuk. 2007. A comparative analysis of the Baltic and Rovno amber arthropod faunas: representative samples. African Invertebrates, 48: 229–245.
- Radchenko, A., Dlussky, G. M. and G. W. Elmes. 2007. The ants of the genus *Myrmica* (Hymenoptera, Formicidae) from Baltic and Saxonian Amber (late Eocene). Journal of Paleontology, 81: 1491–1501.
- Radchenko, A. G. and E. E. Perkovsky. 2009. *Monomorium kugleri* n. sp., a new fossil ant species (Hymenoptera: Formicidae: Myrmicinae) from the late Eocene Rovno Amber (Ukraine). Israel Journal of entomology, 39: 99–103.
- Wheeler, W. M. 1915. The ants of the Baltic Amber. Schriften der Physikalisch-ökonomischen Gesellschaft zu Königsberg, 55: 1–142.

Received: February 27, 2012

Accepted: October 3, 2012