

The species named "*unifasciata*" in British collections is not that which continental authors consider to be Latrielle's species, and in one respect it hardly agrees with his description—the abdomen is fuscous, with the base and apex pale; in the species which represent *unifascia* in the collections of Nylander, Mayr, &c., the abdomen has a narrow ring on the basal segment, and the club of the antennæ is fuscous; the latter species I have not yet seen captured in this country. It may, however, be in some collections mixed with *M. Nylanderii*.

Subdivision 4. (STENAMMA, Westw.)

Stenamma, Westw. Intro. Class. Ins. ii. p. 266. (1840.)

Formicoxenus, Mayr, Form. Austr. p. 141. (1855.)

The maxillary palpi 4-jointed; the labial palpi 3-jointed; mandibles dentate; the worker and female with the second node of the petiole spined in front beneath; the club of the antennæ 3-jointed; the anterior wings with the marginal cell open, incomplete; one complete submarginal cell, and one discoidal cell.

Sp. 10. *Myrmica Westwoodii*.

Stenamma Westwoodii (Steph.), Westw. Intro. Class. Ins. ii. p. 226, ♂.

Formicoxenus nitidulus, Mayr, Form. Austr. 146, 1.

Myrmica nitidula, Nyland.; *Myrmica læviuscula* and *debilis*, Förster.

Worker.—Pale rufous, smooth and shining, the head of a deeper colour, more or less, above; the antennæ 12-jointed, with the club rufo-fuscous, the tip paler; the metathorax with a smooth central depression on each side, furnished with a stout tooth directed horizontally backwards; abdomen nigro-piceous in the middle; the first node of the petiole with a cariniform process beneath; the second node with a stout spine at the base pointing forwards. Length $1\frac{1}{4}$ lines.

Female.—This sex differs only in having the ocelli distinct, the thorax more ovate, the wings hyaline, and the stigma fuscous. Length $2\frac{1}{4}$ lines.

Male.—Nigro-fuscous, the mandibles tridentate; the antennæ 13-jointed; the legs pale; the femora more or less fuscous; the metathorax with two short erect teeth; the wings of a milky whiteness; the nervures scarcely discernible; the entire insect thinly sprinkled with pubescence. Length 2 lines.