

- EMERY, C. (1925)—Hymenoptera Fam. Formicidae Subfam. Formicinae *Genera Insect.* 183: 1-302.
- FOREL, A. (1895)—Nouvelles fourmis d'Australie, recoltees a The Ridge, Mackay, Queensland par M. Gilbert Turner. *Annls Soc. ent. Belg.* 39: 417-428.
- FOREL, A. (1901)—Formiciden des Naturhistorischen Museums zu Hamburg. Neue *Caluptomyrmex*, *Dacryon*, *Podomyrma*, and *Echinopla*-Arten. *Mitt. naturh. Mus. Hamb.* 18: 45-82.
- FOREL, A. (1902)—Fourmis nouvelles d'Australie. *Revue suisse Zool.* 10: 405-548.
- FOREL, A. (1905)—Miscellanea myrmecologiques 2 (1905). *Annls Soc. ent. Belg.* 49: 155-185.
- FOREL, A. (1907)—Formicidae. In Michaelson, W. and Hartmeyer, R., (eds.) *Die fauna Sudwest-Australiens*. Vol. 1. G. Fischer: Jena.
- FOREL, A. (1911)—Die Ameisen des K. Zoologischen Museums in München. *Sber. bayer Akad. Wiss.* 41: 249-303.
- FRENCH, C. (1908)—A naturalist's health trip to northern Queensland. *Vict. Nat.* 24: 167-176.
- HÖLLOBLER, B. and ENGEL-SIEGEL, H. (1984)—On the metapleural gland of ants. *Psyche, Camb.* 91: 201-224.
- HÖLLOBLER, B. and WILSON, E. O. (1990)—*The Ants*. Belknap Press of Harvard University Press: Cambridge.
- KOHOUT, R. J. and TAYLOR, R. W. (1990)—Nomenclatural and distributional notes on Australian ants of the genus *Polyrhachis* Smith, with a synonymic list of the species (Hymenoptera: Formicidae: Formicinae). *Mem. Qd. Mus.* 28: 509-522.
- LOKKERS, C. (1986)—The distribution of the weaver ant, *Oecophylla smaragdina*, in northern Australia. *Aust. J. Zool.* 34: 683-687.
- MCAREAVEY, J. J. (1947)—New species of the genera *Prolasius* Forel and *Melophorus* Lubbock (Hymenoptera: Formicidae). *Mem. natn. Mus. Vict.* 15: 7-27.
- MCAREAVEY, J. J. (1949)—Australian Formicidae. New genera and species. *Proc. Linn. Soc. N.S.W.* 74: 1-25.
- MCAREAVEY, J. J. (1957)—Revision of the genus *Stigmacros* Forel. *Mem. natn. Mus. Vict.* 21: 7-64.
- ROGER, J. (1862)—Einige neue exotische Ameisen-Gattungen und Arten. *Berl. ent. Z.* 6: 233-254.
- SHATTUCK, S. O. (1990)—Revision of the ant genus *Turneria* (Hymenoptera: Formicidae). *Syst. Ent.* 15: 101-117.
- STITZ, H. (1911)—*Australische Ameisen* (Neu-Guinea und Salomons-Inseln, Festland, Neu-Seeland). *Sber. Ges. naturf. Freunde Berl.* 1911: 351-381.
- TAYLOR, R. W. (1987)—A checklist of the ants of Australia, New Caledonia and New Zealand. *CSIRO Aust. Div. Ent. Rep.* 41: 1-92.
- TAYLOR, R. W. (1989)—The nomenclature and distribution of some Australian ants of the genus *Polyrhachis* Fr. Smith. (Hymenoptera: Formicidae: Formicinae). *J. Aust. ent. Soc.* 28: 23-27.
- TAYLOR, R. W. and BROWN, D. R. (1985)—Hymenoptera: Formicoidea. In Walton, D. W. (Ed.) *Zoological Catalogue of Australia*, Vol. 2. pp. 1-143, 306-349 Australian Government Publishing Service: Canberra.
- VIEHMAYER, H. (1925)—Formiciden der australischen Faunenregion. *Ent. Mitt.* 14: 25-39.
- WHEELER, W. M. (1930)—Two new genera of ants from Australia and the Philippines. *Psyche, Camb.* 37: 41-47.
- WHEELER, W. M. (1935)—Myrmecological notes. *Psyche, Camb.* 42: 68-72.
- WILLIAMS, D. J. (1978)—The anomalous ant-attended mealybugs (Homoptera: Pseudococcidae) of South-east Asia. *Bull. Br. Mus. nat. Hist. (Ent.)* 37: 1-72.
- WILLIAMS, D. J. (1985)—*Australian mealybugs*. British Museum (Natural History): London.
- WILLIAMS, D. J. and WATSON, G. W. (1988)—*The scale insects of the tropical south Pacific region. Part 2. The mealybugs (Pseudococcidae)*. C.A.B. International: Wallingford.
- YASUMATSU, K. and BROWN, W. L. (1951)—Revisional notes on *Camponotus herculeanus* Linné and close relatives in palearctic regions (Hymenoptera: Formicidae). *J. Fac. Agric. Kyushu Univ.* 10: 31-44.

[Manuscript received 26 November 1990. Accepted 1 September 1991.]