440 Ward

variabilis petiole is black. I have designated a lectotype of P. variabilis because a second worker glued to the same card (and bearing therefore the same type label as P. variabilis) is that of a different species -P. maculatus (F. Smith)! I have printed a lectotype label for P. variabilis and marked the card shared by the two specimens in such a way that the P. maculatus worker is clearly excluded as a type specimen of P. variabilis.

Pseudomyrmex holmgreni (Wheeler)

Pseudomyrma holmgreni Wheeler, 1925:11. Two syntype workers, Chaquimayo, Peru (N. Holmgren) (NHRS) [Examined]. One worker here designated LECTOTYPE.

Contrary to statements in the original description, this widespread South American species is not closely related to *P. filiformis*. Rather, it is a member of the *P. pallidus* group, bearing some resemblance to *P. euryblemma* (*q.v.*) but differing in the following worker characters: metanotal groove wider and more deeply incised; basal face of propodeum subequal in length to declivitous face (longer than the declivitous face in *P. euryblemma*); and head tending to be more elongate, with the sides rounding more gradually into the occipital margin. The workers and queens of *P. holmgreni* vary considerably in color, from concolorous orange to dark brown, including intermediate forms with variable degrees of infuscation of the body.

Pseudomyrmex laevifrons Ward, nom. nov.

Pseudomyrma laeviceps F. Smith, 1877:63. Two syntype workers, Para, Brazil (BMNH) [Examined]. One syntype worker here designated LECTOTYPE. [Preoccupied by Pseudomyrma laeviceps F. Smith, 1859 = Tetraponera laeviceps (F. Smith)].

This is a small (worker HW 0.48–0.56, n=14) distinctive species with closely contiguous, anterodorsally elevated frontal carinae; a smooth, shiny, puncticulate head; long eyes; and, in the workers, an unusually shaped propodeum such that the basal and declivitous faces meet at a sharp angle. The known range of *P. laevifrons* extends from Costa Rica to Bolivia and Brazil.

Pseudomyrmex malignus (Wheeler) (Figure 41)

Pseudomyrma maligna Wheeler, 1921b:143. Syntype workers, males, queens, Kartabo, Guyana (W.M. Wheeler) (MCZC, MZSP) [Examined].

Pseudomyrma maligna var. cholerica Wheeler, 1921b:146. Syntype workers, Kartabo, Guyana (W.M. Wheeler) (MCZC) [Examined] Syn. nov.

Pseudomyrma maligna var. crucians Wheeler, 1921b:147. Syntype workers, Kartabo, Guyana (W.M. Wheeler) (MCZC) [Examined] Syn. nov.

Pseudomyrma auripes Wheeler, 1922:5. Holotype queen, Trinidad, July 1920 (W.M. Wheeler) (MCZC) [Examined] Syn. nov.