

56. *Camponotus (Myrmothrix) abdominalis* FABR. 4 ♀ — Cururuzinho, Rio Autaz, 10, X, 1914; Manaos.
57. *Camponotus (Myrmothrix) abdominalis* subsp. *stercorarius* FOREL 4 — Rio Autaz.
58. *Camponotus (Myrmothrix) abdominalis* subsp. *romani* subsp. nov. 4 ♀.

Resembling the typical form of the species, but decidedly smaller, the largest worker measuring only 8.5 mm., the small workers 5—6 mm. The head of the former is often brown behind but sometimes dark brown or black throughout. The remainder of the body is uniformly dull yellowish brown, the legs paler, the gaster non-fasciate. The upper surface of the head is more shining and much more finely shagreened than in the typical *abdominalis*.

Numerous specimens from »Chicago», Rio Japura 7, IV, 1915 (type locality), Rio Autaz and Manaos. Perhaps this form should be attached as a variety to the subsp. *ustulatus* FOREL.

59. *Camponotus (Myrmothrix) rufipes* FABR. subsp. *renggeri* EMERY 4 ♀ — Santa Amelia, Rio Autaz, 3, IX, 1914 and Lago de Poraquecuare, Manaos 11, V, 1915.
60. *Camponotus (Myrmothrix) femoratus* FABR. ♀ minor and ♂. — Bosque Municipal, Manaos.
61. *Camponotus (Myrmothrix) leydigi* FOREL. ♀ minor. Bosque Municipal, Manaos 29, VII, 1914.
62. *Camponotus (Myrmothrix) socius* ROGER ♀ minor. — Manaos.
63. *Camponotus (Myrmepomis) sericeiventris* GUÉRIN ♀ minor. Rio Japura.
64. *Camponotus (Myrmosiphincta) sexguttatus* FABR. var. *fusciceps* EMERY ♀ minor. — Upper Amazonas, April 1915.
65. *Camponotus (Myrmamblys) novogranadensis* MAYR 4 ♀♀♂. — Cururuzinho, Rio Autaz, 3, XI, 1914.
66. *Camponotus (Myrmobrachys) senex* SMITH ♀ — Rio Autaz.
67. *Camponotus (Myrmorhachis) latangulus* ROGER. ♀ — Manaos.
68. *Camponotus (Myrmeurinota) heathi* MANN var. *gilvigaster* var. nov.

Worker major and minor differing from the typical form in having the black on the upper surface of the gaster replaced by brownish yellow of a slightly paler tint than that of