

**Cryptocerus minutus** Fabr.

Two minor workers from Acapulco, Mexico (IV.5.'32) and one from Port Parker, Costa Rica (VII.4.'32).

**Acromyrmex octospinosus** Reich

Three workers from Acapulco, Mexico (IV.5.'32).

**Azteca velox** Forel

Three very small workers from Acapulco, Mexico (IV.5.'32).

**Anopolepis longipes** Jerdon

Mazatlan, Mexico, one worker (VIII.1.'32).

**Camponotus (Myrmothrix) sp.**

A winged female and a male from Isabel Island, Mexico (III.27.'32) allied to *C. (M.) abdominalis* Fabr, but with much less developed pile on the enlarged antennal scapes of the female. It is not advisable to name this form without major workers.

**Camponotus (Myrmobrachys) senex** F. Smith

A single minor worker from Acapulco, Mexico (IV.5.'32).

**Camponotus (Myrmocladæcus) rectangularis** Emery

Four workers from Coseguina Slope, Nicaragua (VII.7.'32) and one from Port Parker, Costa Rica (VII.3.'32).

**Camponotus (Myrmocladæcus) rectangularis**

var. *willowsi* var. nov.

*Worker minor.* Differing from the typical form of the species and its var. *rubroniger* Forel in coloration, being deep black, with the exception of the posterior borders of the gastric segments and terminal tarsal joints, which are reddish, and the head, antennal scapes and first funicular joint, which are bright yellowish red. Cheeks, clypeus and mandibles yellow, mandibular teeth reddish. The dorsal surface of the gaster is less opaque and more glossy than in *rectangularis* and *rubroniger*, with distinctly longer and denser pubescence and even shorter hairs.

A single specimen from Acapulco, Mexico (IV.5.'32). There is in my collection a second specimen taken by Frederick Knab in the same locality. I here insert a description of a second variety of *rectangularis* which I took in Guatemala in 1911. Type, C. A. S. Ent. No. 3683.