four teeth anteriorly. Eyes absent. Dorsal outline of thorax in profile straight and horizontal; base of epinotum parallel-sided; mesoëpinotal suture obsolete. Petiole as long as broad but higher than long, the node in profile slightly attenuate above, with straight anterior, posterior, and superior surfaces. Sculpture and pubescence as in *Cryptopone fusciceps* Emery, color a little darker.

Pseudocryptopone mocsaryi (Szabó)

Cryptopone mocsaryi Szabó, 1910, Rovartani Lapok, XVII, p. 186, Fig. 1, \(\beta \). Emery, 1911, Ponerinae, in 'Genera Insect.,' p. 88, \(\beta \).

WORKER (after Szabó).—"Yellow, slightly shining; antennae, mandibles and legs paler. Head densely, thorax more sparsely punctate. Body densely and finely pubescent; clypeal border ciliate; abdomen pilose posteriorly. Head elongate, about one-fourth longer than broad; slightly narrowed anteriorly, truncate posteriorly, with rounded posterior corners. Eyes minute, situated at the anterior fifth of the sides of the head. Mandibles short, with three larger teeth at the apex, posteriorly with obtuse denticles. Antennal scape short, extending back about two-thirds the length of the head; funiculus slender at the base, with the joints preceding the 4-jointed and strongly incrassate club very short. Thoracic dorsum nearly straight; pronotum rounded, seen from above scarcely narrowed in the region of the mesoepinotal suture [which is absent]; epinotum with a distinct angle between the base and declivity, the latter slightly sinuous. Petiolar scale scarcely attenuate above, its anterior and posterior surfaces subparallel. Postpetiolar segment of abdomen slightly concave anteriorly. Length, 1-1.2 mm.

"Closely related to C. tenuis Emery, but differing in the smaller size of the body, shorter antennal scape and the slightly concave anterior surface of the postpetiolar segment."

The type specimen was collected by L. Biró in 1901 at Friedrich-Wilhelmshafen, New Guinea, and is deposited in the Hungarian National Museum.

Pseudocryptopone zwaluwenburgi, new species

Figure 5, a to c

Worker.—Length, 2-2.3 mm.

Head suboblong, nearly one-third longer than broad, with straight, subparallel sides, rounded anterior and posterior corners and distinctly concave posterior border. Eyes absent. Mandibles with three small apical teeth, the basal half of the masticatory border straight, evenly and microscopically pectinate. Clypeus bluntly subcarinate, with broadly and evenly rounded anterior border. Frontal carinae of the