

Literature

- ANDRÉ, ER. 1889 Hyménoptères nouveaux appartenant au groupe des Formicides. Rev. Ent., (Caen), **8**: 225
- DONISTHORPE, H. 1940 *Lordomyrma infundibuli* (Hym., Formicidae), a new species of ant from Dutch New Guinea. Ent. Monthly Mag., **76** : 45—47.
- DONISTHORPE, H. 1941 *Lordomyrma niger* sp. nov. (Hym., Formicidae), with key and notes on the genus. Ent. Monthly Mag., **77** : 36—38.
- DONISTHORPE, H. 1949 *Lordomyrma bensoni* (Hym., Formicidae), a species of ant new to science from New Guinea. Ent. Monthly Mag., **85** : 94.
- EMERY, C. 1897 Formicidarum species novae vel minus cognitae in collitione Musaci Nationalis Hungarici, quas in Nova-Guinea, colonia Germanica, collegit L. BIRÓ. Termes. Füzetek, **20** : 591—592.
- EMERY, C. 1922 Genera Insectorum, fasc. 174c : 238—239.
- MENOZZI, C. 1923 Trois fourmis nouvelles (Hym.). Bull. Soc. Entom. France, 1923 : 209—210.
- WHEELER, W. M. 1919 The ant Genus *Lordomyrma* EMERY. Psyche, **26** : 97—106.