

A CHECKLIST OF THE ANTS OF ARIZONA¹

JAMES H. HUNT

Department of Biology, Harvard University, Cambridge²

ROY R. SNELLING

Natural History Museum of Los Angeles County, Los Angeles

A checklist of the ants (Hymenoptera: Formicidae) of Arizona is presented. The known ant fauna of the state includes 209 species. Seven subfamilies containing a total of 45 genera are represented. Table 1 summarizes the subfamilial assortment of genera and species.

This is the second such comprehensive list to appear for Arizona. An earlier annotated list (Cole, 1937) included 96 species with 57 additional subspecies and varieties for a total of 153 forms. An unpublished list by F. G. Werner in 1972 recorded 186 species.

The present list (Table 2) is based primarily on the checklists of Smith (1951, 1958, 1967) and the monograph by Creighton (1950). These works, with their included references, are the primary sources for any U.S. distributional studies of ants. The list presented here is additionally based on generic monographs and publications of new distributional records that have appeared since the larger works of Smith and Creighton. Several records of species from Arizona given by Smith or Creighton but not included in the present list have been found to be records based on misidentified specimens.

Literature citations are given for each entry in Table 2. Where two literature citations are given the first documents presence of the species in Arizona, and the second documents a nomenclatural change between the species' name as in the first cited source and the name as in the present list. Users of this list should be cautioned, however, that not all species records can be firmly supported. Some of the collection records in the literature are questionable, and a larger problem is with the state of the nomenclature. Several genera need specific revision; these include *Pheidole*, *Aphaenogaster*, *Myrmica*, *Leptothorax*, and *Camponotus*. Also, inclusion of subspecies names on this list does not necessarily mean that we believe all are valid; some may be synonyms and others may be good species. These are problems inherent in any checklist.

This checklist makes available to entomologists, ecologists, and zoogeographers a comprehensive compilation of the state's known ant fauna. The list was originally prepared for zoogeographic comparison (Hunt, 1973) with a similar list for the state of Tucuman, Argentina (Kusnezov, 1953). The utility of the list goes beyond its original purpose, however, as this checklist may serve as a basic resource for researchers in Arizona.

ACKNOWLEDGMENTS. — During field work in Arizona and manuscript preparation the first author has been supported by NSF grants GB 31195 to R. K. Colwell and GB 27148 to O. T. Solbrig. This paper is a contribution of the Structure of Ecosystems Subprogram, International Biological Program. We thank F. G. Werner for making available to us the list of Arizona ants compiled by him. For review of the list and manuscript we are grateful to W. L. Brown, Jr., R. K. Colwell, and F. G. Werner.

Table 1. Subfamilial assortment of genera and species of Arizona Formicidae.

	Genera	Species
Ponerinae	4	7
Cerapachyinae	1	1
Dorylinae	1	16
Pseudomyrmecinae	1	2
Myrmicinae	23	109
Dolichoderinae	5	8
Formicinae	10	66
Total	45	209

Table 2. Formicidae of Arizona

Subfamily PONERINAE	
1. <i>Amblyopone pallipes</i> (Haldeman)	Creighton 1950; Brown 1960
2. <i>Ponera pennsylvanica</i> Buckley	Smith 1967; Taylor 1968
3. <i>Hypoponera punctatissima</i> (Roger)	Smith 1958; Taylor 1968
4. <i>Hypoponera inexorata</i> Wheeler	Smith 1967; Taylor 1968
5. <i>Hypoponera opaciceps</i> Mayr	Smith 1951; Taylor 1968
6. <i>Hypoponera opacior</i> Forel	Smith 1951; Taylor 1968
7. <i>Odontomachus clarus</i> Roger	Brown, in prep.
Subfamily CERAPACHYINAE	
8. <i>Cerapachys augustae</i> Wheeler	Smith 1951
Subfamily DORYLINAE	
9. <i>Neivamyrmex agilis</i> Borgmeier	Watkins 1972
10. <i>Neivamyrmex andrei</i> (Emery)	Watkins 1972
11. <i>Neivamyrmex carolinensis</i> (Emery)	Watkins 1972
12. <i>Neivamyrmex fallax</i> Borgmeier	Watkins 1972

¹A contribution of The Structure of Ecosystems Subprogram, International Biological Program.

²Present address: Dept. of Biology, Univ. of Missouri, 8001 Natural Bridge Rd., St. Louis, Missouri 63121.

13. <i>Neivamyrmex harrisi</i> (Haldeman)	Watkins 1972	54. <i>Aphaenogaster occidentalis</i> (Emery)	Smith 1951
14. <i>Neivamyrmex leonardi</i> Mann	Watkins 1972	55. <i>Aphaenogaster texana</i> Emery	Smith 1951
15. <i>Neivamyrmex melanocephalum</i> (Emery)	Watkins 1972	56. <i>Veromessor andrei</i> (Mayr)	Smith 1951
16. <i>Neivamyrmex microps</i> Borgmeier	Watkins 1972	57. <i>Veromessor pergandei</i> (Mayr)	Smith 1951
17. <i>Neivamyrmex minor</i> (Cresson)	Watkins 1972	58. <i>Veromessor smithi</i> Cole	LACM *
18. <i>Neivamyrmex nigrescens</i> (Cresson)	Watkins 1972	59. <i>Pheidole barbata</i> Wheeler	Creighton 1950
19. <i>Neivamyrmex opacithorax</i> (Emery)	Watkins 1972	60. <i>Pheidole bicarinata</i> Mayr	Creighton 1950
20. <i>Neivamyrmex pilosus mandibularis</i> (M. Smith)	Watkins 1972	61. <i>Pheidole cerebrosiors</i> Wheeler	Creighton 1950
21. <i>Neivamyrmex rugulosus</i> Borgmeier	Watkins 1972	62. <i>Pheidole ceres</i> Wheeler	Smith 1951
22. <i>Neivamyrmex swainsoni</i> (Shuckard)	Watkins 1972	63. <i>Pheidole clydei</i> Gregg	Smith 1958
23. <i>Neivamyrmex texanus</i> Watkins	Watkins 1972	64. <i>Pheidole cockerelli</i> Wheeler	Smith 1951
24. <i>Neivamyrmex macropterus</i> Borgmeier	Watkins 1972	65. <i>Pheidole crassicornis tetra</i> Wheeler	Creighton 1950
Subfamily PSEUDOMYRMECINAE			
25. <i>Pseudomyrmex apache</i> Creighton	Smith 1958	66. <i>Pheidole desertorum</i> Wheeler	Smith 1951
26. <i>Pseudomyrmex pallidus</i> F. Smith	Smith 1951; Smith 1958	67. <i>Pheidole gilvescens</i> Wheeler.	Smith 1958
Subfamily MYRMICINAE			
27. <i>Myrmica americana</i> Weber	Smith 1951	68. <i>Pheidole hyatti</i> Emery	Smith 1951
28. <i>Myrmica emeryana emeryana</i> Forel	Smith 1951	69. <i>Pheidole macclendoni</i> Wheeler	Creighton 1950
28a. <i>Myrmica emeryana tahoensis</i> Wheeler	Creighton 1950	70. <i>Pheidole micula</i> Wheeler	Smith 1951; Smith 1967
29. <i>Myrmica incompleta sulcinodoides</i> Emery	Smith 1951; Francoeur & Beique 1966	71. <i>Pheidole militicida</i> Wheeler	Smith 1951
30. <i>Myrmica lobicornis fracticornis</i> Emery	Smith 1951	72. <i>Pheidole pilifera artemisia</i> Cole	Smith 1958
31. <i>Myrmica scabrinodis mexicana</i> Wheeler	Smith 1951	73. <i>Pheidole psammophila</i> Creighton and Gregg	Smith 1958
32. <i>Myrmica striolagaster</i> Cole	Smith 1958	74. <i>Pheidole rhea</i> Wheeler	Smith 1951
33. <i>Myrmica wheeleri</i> Weber	Creighton 1950	75. <i>Pheidole rugulosa</i> Gregg	Smith 1967
34. <i>Paramyrmica rugiventris</i> (M. Smith)	Smith 1967	76. <i>Pheidole sciophila</i> Wheeler	Creighton 1950
35. <i>Pogonomyrmex apache</i> Wheeler	Cole 1968	77. <i>Pheidole sitarches soritis</i> Wheeler	Smith 1967
36. <i>Pogonomyrmex bicolor</i> Cole	Cole 1968	78. <i>Pheidole spadonia</i> Wheeler	Smith 1951
37. <i>Pogonomyrmex californicus</i> (Buckley)	Cole 1968	79. <i>Pheidole subdentata</i> Pergande	Smith 1967
38. <i>Pogonomyrmex desertorum</i> Wheeler	Cole 1968	80. <i>Pheidole tepicana</i> Pergande	Smith 1958
39. <i>Pogonomyrmex huachucanus</i> Wheeler	Cole 1968	81. <i>Pheidole titanis</i> Wheeler	Creighton 1950
40. <i>Pogonomyrmex imberbicus</i> Wheeler	Cole 1968	82. <i>Pheidole vallicola</i> Wheeler	Creighton 1950
41. <i>Pogonomyrmex magnacanthus</i> Cole	Cole 1968	83. <i>Pheidole virago</i> Wheeler	Smith 1951
42. <i>Pogonomyrmex maricopa</i> Wheeler	Cole 1968	84. <i>Pheidole xerophila tucsonica</i> Wheeler	Smith 1951
43. <i>Pogonomyrmex occidentalis</i> (Cresson)	Cole 1968	85. <i>Rogeria huachucana</i> Snelling	Snelling 1973a
44. <i>Pogonomyrmex pima</i> Wheeler	Cole 1968	86. <i>Crematogaster arizonensis</i> Wheeler	Creighton 1950
45. <i>Pogonomyrmex rugosus</i> Emery	Cole 1968	87. <i>Crematogaster browni</i> Buren	Buren 1968
46. <i>Stenamma chiricahua</i> Snelling	Snelling 1973c	88. <i>Crematogaster colei</i> Buren	Buren 1968
47. <i>Stenamma huachucanum</i> M. Smith	Snelling 1973c	89. <i>Crematogaster dentinodis</i> Forel	Smith 1958
48. <i>Stenamma occidentale</i> M. Smith	Snelling 1973c	90. <i>Crematogaster depilis</i> Wheeler	Creighton 1950
49. <i>Aphaenogaster albisetosa</i> Mayr	Smith 1951; Brown 1974	91. <i>Crematogaster emeryana</i> Creighton	Creighton 1950; Buren 1968
50. <i>Aphaenogaster boulderensis</i> M. Smith	Smith 1951	92. <i>Crematogaster hespera</i> Buren	Buren 1968
51. <i>Aphaenogaster cockerelli</i> André	Smith 1951 Brown 1974	93. <i>Crematogaster isolata</i> Buren	Buren 1968
52. <i>Aphaenogaster huachucana</i> Creighton	Smith 1951	94. <i>Crematogaster larreae</i> Buren	Buren 1968
		95. <i>Crematogaster minutissima smithi</i> Creighton	Creighton 1950
		96. <i>Crematogaster navajoa</i> Buren	Buren 1968
		97. <i>Crematogaster nocturna</i> Buren	Buren 1968
		98. <i>Crematogaster opaca</i> Mayr	Creighton 1950
		99. <i>Crematogaster opuntiae</i> Buren	Buren 1968
		100. <i>Crematogaster punctulata</i> Emery	Buren 1968
		101. <i>Monomorium minimum</i> Buckley	Smith 1951

* indicates specimens in collection of Los Angeles County Museum (LACM) or in collection of J. H. Hunt (JHH).

102. <i>Monomorium pharaonis</i> (Linné)	Smith 1951	Subfamily FORMICINAE	
103. <i>Monomorium viridum peninsulatum</i> Gregg	Creighton 1950	143. <i>Acropyga epedana</i> Snelling	Snelling 1973a
104. <i>Solenopsis aurea</i> Wheeler	Creighton 1950	144. <i>Brachymyrmex depilis</i> Emery	Smith 1967
105. <i>Solenopsis huachucana</i> Wheeler	Smith 1951	145. <i>Camponotus acutirostris</i> Wheeler	Creighton 1950
106. <i>Solenopsis molesta</i> (Say)	Smith 1951	146. <i>Camponotus festinatus</i> (Buckley)	Smith 1951; Snelling 1968
107. <i>Solenopsis salina</i> Wheeler	Creighton 1950	147. <i>Camponotus laevigatus</i> (F. Smith)	Smith 1951
108. <i>Solenopsis trunctorum</i> Forel	Smith 1967 Creighton 1950	148. <i>Camponotus mina</i> Forel	Creighton 1965
109. <i>Solenopsis xyloni</i> McCook	Creighton 1950	149. <i>Camponotus modoc</i> Wheeler	Smith 1951; Snelling ms.
110. <i>Myrmecina americana</i> Emery	Smith 1951	150. <i>Camponotus nearcticus</i> Emery	LACM
111. <i>Macromischa polita</i> M. Smith	Smith 1951	151. <i>Camponotus n.sp.</i>	Snelling and Creighton in prep.
112. <i>Leptothorax andrei</i> Emery	Smith 1967	152. <i>Camponotus ocreatus</i> Emery	Smith 1951
113. <i>Leptothorax carinatus</i> Cole	Smith 1967	153. <i>Camponotus papago</i> Creighton	Creighton 1952
114. <i>Leptothorax crassipilis</i> Wheeler	Creighton 1950	154. <i>Camponotus rasilis</i> Wheeler	Creighton 1950
115. <i>Leptothorax curvispinosus</i> Mayr	Smith 1967	155. <i>Camponotus s. sansabeanus</i> (Buckley)	Smith 1951
116. <i>Leptothorax muscorum</i> (Nylander)	Smith 1951; Smith 1958	155a. <i>Camponotus sansabeanus bulimosus</i> Wheeler	Smith 1951
117. <i>Leptothorax nitens</i> Emery	Smith 1951; Smith 1967	155b. <i>Camponotus sansabeanus torrefactus</i> Wheeler	Smith 1951
118. <i>Leptothorax rugatulus rugatulus</i> Emery	Smith 1951	156. <i>Camponotus sayi</i> Emery	Smith 1951
119. <i>Leptothorax silvestrii</i> (Santschi)	Creighton 1950	157. <i>Camponotus schaefferi</i> Wheeler	Creighton 1950
120. <i>Leptothorax stenotyle</i> Cole	Smith 1958	158. <i>Camponotus semitestaceus</i> Emery	Smith 1951; Snelling 1970
121. <i>Leptothorax texanus texanus</i> Wheeler	Smith 1951	159. <i>Camponotus trepidulus</i> Creighton	Creighton 1965
122. <i>Leptothorax tricarinatus tricarinatus</i> Emery	Smith 1967	160. <i>Camponotus ulcerosus</i> Wheeler	Smith 1951; Smith 1958
122a. <i>Leptothorax tricarinatus neomexicanus</i> Wheeler	Creighton 1950	161. <i>Camponotus vafer</i> Wheeler	Smith 1951
123. <i>Xiphomyrmex spinosus</i> Pergande	Smith 1951	162. <i>Camponotus vicinus</i> Mayr	Smith 1951
124. <i>Paracryptocerus rohweri</i> Wheeler	Smith 1951	163. <i>Paratrechina bruesii</i> (Wheeler)	Smith 1958
125. <i>Strumigenys louisianae</i> Roger	Smith 1951	164. <i>Paratrechina melanderi melanderi</i> (Wheeler)	Smith 1958
126. <i>Smithistruma sp.</i>	LACM	165. <i>Paratrechina parvula</i> (Mayr)	Smith 1967
127. <i>Cyphomyrmex rimosus</i> (Spinola)	Smith 1951	166. <i>Prenolepis imparis arizonica</i> Wheeler	Smith 1951; Smith 1958
128. <i>Cyphomyrmex wheeleri</i> Forel	Smith 1951	167. <i>Lasius alienus</i> (Foerster)	Wilson 1955
129. <i>Trachymyrmex arizonensis</i> (Wheeler)	Smith 1951	168. <i>Lasius fallax</i> Wilson	Wilson 1955
130. <i>Trachymyrmex desertorum</i> (Wheeler)	Smith 1951	169. <i>Lasius flavus</i> (Fabricius)	Wilson 1955
131. <i>Trachymyrmex nogalensis</i> Byars	Smith 1958	170. <i>Lasius niger</i> (Linné)	Wilson 1955
132. <i>Trachymyrmex smithi neomexicanus</i> Cole	JHH *	171. <i>Lasius pallitarsus</i> (Provancher)	Wilson 1955
133. <i>Atta mexicana</i> (F. Smith)	Smith 1951	172. <i>Lasius sitiens</i> Wilson	Wilson 1955
134. <i>Acromyrmex versicolor</i> (Pergande)	Smith 1951	173. <i>Lasius subumbratus</i> Viereck	Wilson 1955
Subfamily DOLICHODERINAE		174. <i>Lasius umbratus</i> (Nylander)	Wilson 1955
135. <i>Liometopum apiculatum</i> Mayr	Smith 1951	175. <i>Acanthomyops arizonicus</i> (Wheeler)	Wing 1968
136. <i>Liometopum occidentale luctuosum</i> Wheeler	Creighton 1950	176. <i>Acanthomyops colei</i> Wing	Wing 1968
137. <i>Iridomyrmex humilis</i> (Mayr)	Smith 1951	177. <i>Acanthomyops coloradensis</i> (Wheeler)	Wing 1968
138. <i>Iridomyrmex pruinosum analis</i> (E. André)	Creighton 1950	178. <i>Acanthomyops interjectus</i> (Mayr)	Wing 1968
139. <i>Forelius foetidus</i> (Buckley)	Smith 1951	179. <i>Acanthomyops latipes</i> (Walsh)	Wing 1968
140. <i>Conomyrma insana</i> (Buckley)	Smith 1951; Snelling 1973b	180. <i>Acanthomyops murphyi</i> (Forel)	Wing 1968
141. <i>Conomyrma bicolor</i> (Wheeler)	Smith 1951; Snelling 1973b	181. <i>Acanthomyops occidentalis</i> (Wheeler)	Wing 1968
142. <i>Tapinoma sessile</i> (Say)	Smith 1951	182. <i>Myrmecocystus romainei</i> Cole	Snelling, in prep.
		183. <i>Myrmecocystus depilis</i> Forel	Snelling, in prep.
		184. <i>Myrmecocystus flaviceps</i> Wheeler	Snelling, in prep.

185. <i>Myrmecocystus kennedyi</i> Cole	Snelling, in prep.	198. <i>Formica gnava</i> Buckley	Francoeur 1974
186. <i>Myrmecocystus mendax</i> Wheeler	Snelling, in prep.	199. <i>Formica neoclara</i> Emery	Francoeur 1974
187. <i>Myrmecocystus mexicanus</i> Wesmael	Snelling, in prep.	200. <i>Formica neogagates</i> Emery	Creighton 1950
188. <i>Myrmecocystus mimicus</i> Wheeler	Snelling, in prep.	201. <i>Formica neurufibarbis</i> Emery	Francoeur 1974
189. <i>Myrmecocystus navajo</i> Wheeler	Snelling, in prep.	202. <i>Formica occidua</i> Wheeler	Francoeur 1974
190. <i>Myrmecocystus placodops</i> Forel	Snelling, in prep.	203. <i>Formica occulta</i> Francoeur	Francoeur 1974
191. <i>Myrmecocystus yuma</i> Wheeler	Snelling, in prep.	204. <i>Formica perpilosa</i> Wheeler	Creighton 1950
192. <i>Formica altipetens</i> Wheeler	Francoeur 1974	205. <i>Formica podzolica</i> Francoeur	Francoeur 1974
193. <i>Formica argentea</i> Wheeler	Francoeur 1974	206. <i>Formica subnuda</i> Emery	Creighton 1950
194. <i>Formica canadensis</i> Santschi	Francoeur 1974	207. <i>Formica wheeleri</i> Creighton	Creighton 1950
195. <i>Formica densiventris</i> Viereck	Creighton 1950	208. <i>Formica xerophila</i> M. Smith	Francoeur 1974
196. <i>Formica foreliana</i> Wheeler	Francoeur 1974	209. <i>Polyergus breviceps</i> Emery	Smith 1951
197. <i>Formica fusca</i> Linné	Francoeur 1974		

LITERATURE CITED

- BROWN, W. L., JR., 1960. Contributions toward a reclassification of the Formicidae. III. Tribe Amblyoponini (Hymenoptera). Bull. Mus. Comp. Zool., Harvard, 122: 145-230.
- , 1974. *Novomessor manni* a synonym of *Aphaenogaster ensifera*. Ent. News, in press.
- , in preparation. Contributions to a reclassification of the Formicidae. VI. Tribe Ponerini (Hymenoptera). Search, Agriculture, Entomology (Ithaca).
- BUREN, W. F., 1968. A review of the species of *Crematogaster*, *sensu stricto*, in North America (Hymenoptera, Formicidae) Part II. Descriptions of new species. J. Georgia Ent. Soc. 3:91-121.
- COLE, A. C., JR., 1937. An annotated list of the ants of Arizona. (Hymen.: Formicidae). Ent. News 48:97-101, 134-140.
- , 1968. *Pogonomyrmex* Harvester Ants: A Study of the Genus in North America. Univ. of Tennessee Press, Knoxville.
- CREIGHTON, W. S., 1950. The ants of North America. Bull. Mus. Comp. Zool., Harvard, 104:1-585.
- , 1952. Studies on Arizona ants (4). *Camponotus (Colobopsis) papago*, a new species from southern Arizona. Psyche 59:148-162.
- , 1965. Studies on southwestern ants belonging to *Camponotus*, subgenus *Myrmobrachys* (Hymenoptera, Formicidae). Amer. Mus. Novitates 2239:1-9.
- FRANCOEUR, A., 1973. Revision taxonomique des espèces néarctiques du groupe *Fusca*, genre *Formica* (Formicidae, Hymenoptera). Societe Entomologique du Québec, Mémoires, 3:1-316.
- , and R. BEIQUE, 1966. Les Formicides (Hyménoptères) de Provancher. Canadian Entomologist 98: 140-145.
- HUNT, J. H., 1973. Comparative ecology of ant communities in Mediterranean regions of California and Chile. Ph.D. Dissertation, Univ. of California at Berkeley.
- KUSNEZOV, N., 1953. Lista de las hormigas de Tucumán con descripción de dos nuevos generos (Hymenoptera, Formicidae). Acta Zoologica Lilloana, Tucumán, 13:327-339.
- SMITH, M. R., 1951. Family Formicidae, in: C.F.W. Muesebeck and K. V. Krombein, eds., Hymenoptera of America North of Mexico Synoptic Catalog. U.S. Dept. Agr., Agriculture Monograph No. 2.
- , 1958. Family Formicidae, in: K. V. Krombein, ed., Hymenoptera of America North of Mexico Synoptic Catalog (Agriculture Monograph No. 2) First Supplement.
- , 1967. Family Formicidae, in: K. V. Krombein and B. D. Burks, eds., Hymenoptera of America North of Mexico Synoptic Catalog (Agriculture Monograph No. 2) Second Supplement.
- SNELLING, R. R., 1968. Studies on California ants. 4. Two species of *Camponotus* (Hymenoptera: Formicidae). Proc. Ent. Soc. Washington 70:350-358.
- , 1970. Studies on California ants. 5. Revisionary notes on some species of *Camponotus*, subgenus *Tanaemyrmex*. Proc. Ent. Soc. Washington 72:390-397.
- , 1973a. Two ant genera new to the United States. Nat. Hist. Mus. Los Angeles Co., Contr. in Sci. no. 236:1-8.
- , 1973b. The ant genus *Conomyrma* in the United States (Hymenoptera: Formicidae). Nat. Hist. Mus. Los Angeles Co., Contr. in Sci. no. 238:1-6.
- , 1973c. Studies on California ants. 7. The genus *Stenammas* (Hymenoptera: Formicidae). Nat. Hist. Mus. Los Angeles Co., Contr. in Sci. no. 245:1-38.
- , in preparation. Monograph of the ant genus *Myrmecocystus* (Hymenoptera: Formicidae).
- , and W. S. CREIGHTON, in preparation. The New World species of *Camponotus*, subgenus *Colobopsis* (Hymenoptera: Formicidae).
- TAYLOR, R. W., 1968. Nomenclature and synonymy of the North American ants of the genera *Ponera* and *Hypoponera* (Hymenoptera: Formicidae). Ent. News 79:63-66.
- WATKINS, J. F., II, 1972. The taxonomy of *Neivamyrmex texanus*, n.sp., *N. nigrescens* and *N. californicus* (Formicidae: Dorylinae), with distribution maps and keys to the species of *Neivamyrmex* in the United States. J. Kansas Ent. Soc. 45:347-372.
- WILSON, E. O., 1955. A monographic revision of the ant genus *Lasius*. Bull. Mus. Comp. Zool., Harvard, 113:1-201.
- WING, M. W., 1968. Taxonomic revision of the nearctic genus *Acanthomyops* (Hymenoptera: Formicidae). Cornell Univ., Agri. Expt. Sta. Memoir 405.