

4. *Ectomyrmex javanus*, Mayr.

7 ♂ ♂, Sikhim, Kalimpong, 4000 ft., 27. iii. 24; 2 ♂ ♂, Sikhim, Pedong, 6000 ft., 28. iii. 24.

5. *Bothroponera rufipes*, Jerd.

1 ♂, Sikhim, Rongli Chu, 3000 ft., 29. iii. 24; 4 ♂ ♂, Sikhim, Singhik, 4000 ft., 23. iv. 24.

6. *Brachyponera nigrita*, Emery.

6 ♂ ♂, N. India, Darjeeling, 7000 ft., 1-10. iii. 24.

## DORYLINÆ.

7. *Dorylus orientalis*, West.

20 ♂ ♂, N. India, Darjeeling, 5000 ft., 11-20. iii. 24.

## MYRMICINÆ.

8. *Pheidole latinoda*, Roger.

2 ♀ ♀, N. India, Darjeeling, 5000 ft., 14. iii. 24.

9. *Pheidole jucunda*, Forel.

11 specimens, ♀ ♀ and ♂ ♂, N. India, Darjeeling, 5000 ft., 14. iii. 24.

10. *Myrmica rugosa*, Mayr.

15 ♂ ♂, N. India, Darjeeling, 7000 ft., 1-10. iii. 24.

11. *Myrmica everesti*, sp. n.

♂. Dark brown, head and gaster except apex almost black, coxæ, mandibles, articulations of the legs and antennæ, and apex of gaster reddish. Body furnished with sparse, scattered, yellow hairs.

*Head* strongly longitudinally striate, temples and occiput reticulated; *mandibles* longitudinally striate, masticatory margin with terminal tooth long and curved, second tooth shorter but distinct, the rest indistinct; *clypeus* with anterior border produced and pointed, entirely longitudinally striate; *frontal area* smooth and shining; *scape of antennæ* reaching beyond posterior margin of head, *funiculus* with a distinctly 4-jointed club. *Thorax* strongly reticulate, longitudinally striate at sides; *epinotal spines* very short, sharply pointed,