

by over a third of its length, first joint of *funiculus* longer than the following six joints which are short and transverse, *club* 3-jointed, last joint long and pointed, longer than the two preceding taken together. *Thorax* longer than broad, broadest behind humeral angles, no *suture* between pro- and mesonotum; *suture* between meso- and epinotum well marked; a smooth space decreasing in width extends from pronotum to epinotum, the sculpture at sides consists of fine raised lines and impressed punctures, the smooth space on dorsal surface of *epinotum* is broader than on the rest of the thorax, angle between dorsal surface and declivity, gradual, declivity smooth and shining, longer than dorsal surface. *Petiole* with short peduncle, followed by a rounded node higher than post-petiole; *post-petiole* rounded broader than node of petiole; *gaster* long oval pointed at apex, 1st segment long, longer than rest of gaster, with some small scattered punctures. *Legs* moderate; *femora* incrassate; *tibiae* less so. *Long.* 2.8 mm.

♀.—Colour, sculpture and hair as in ♂, except that the sculpture is stronger. *Eyes* larger in proportion; *ocelli* small. *Thorax* with shoulders more marked, straight to insertion of forewing, and then gradually narrowed at base. *Suture* between pro- and mesonotum well marked, deep; smooth space on *pronotum* broader; *mesonotum* bluntly pointed at apex, broadest at base, somewhat flat, smooth space not present, but the raised lines on disc are a little wider apart than on the rest of the mesonotum; *suture* between mesonotum and scutellum very fine but distinct, the *præscutellum* not being visible at all in middle; *scutellum* rather flat, transverse, with a smooth space in middle; *metanotum* narrow, smooth, transverse, flat; *epinotum*, with angle between dorsal surface and declivity not marked, smooth and shining. *Petiole* and *post-petiole* as in ♂; *gaster* long oval, longer in proportion than ♂, 1st segment very long, with small sparse scattered punctures, 2nd and 3rd visible segments not punctured. *Legs* as in ♂. *Long.* 4 mm.

Described from three workers and one dealated female. Maffin Bay, Dutch New Guinea, July 1st, 1944. E. S. Ross Coll.

Type in Science Museum, California Academy of Sciences, San Francisco.