

light, 25. vii. 25. Raiatea, N.E., ♀ ♀ from a nest among roots of coconut-palm on the shore, 27, v. 25, ♀ ♀ on the beach, 3. vi. 25. Valley Vaiurumai, ♀ ♀ tending Coccids, 4. vi. 25.

*Distribution.* Tropical Asia, Borneo, Solomon Is., Fiji.

20. *Plagiolepis augusti*, Emery, Ann. Soc. Ent. Belg. lxi. p. 317 (1921) (Fiji).

*Plagiolepis foreli*, Mann, Bull. Mus. Comp. Zool. lxiv. p. 473 (1921) (Fiji); Emery, Gen. Ins. fasc. 183, p. 20 (1925).

Society Is.: Tahiti, Vallée de Ste. Amélie, 4 ♀ ♀ in galleries behind bark, 15. iv. 25; ♀ ♀ from a nest in a rotten log, 16. iv. 25.

*Distribution.* Fiji.

21. *Plagiolepis mactavishi*, Wheeler, Bull. Amer. Mus. Nat. Hist. xxiv. p. 166 (1909); id. Nat. Hist. Juan Fernandez and Easter Island, iii. p. 318 (1923) (Easter Island).

Marquesas Is.: Tahuata, 4 ♀ ♀, 4 ♀ ♀, Jan. 1925.

*Distribution.* Formosa, Hawaii, Easter Is.

22. *Paratrechina longicornis* (Latr.).

*Formica longicornis*, Latreille, Hist. Nat. Fourmis. p. 113 (1802) (Senegal).

*Prenolepis (Nylanderia) longicornis*, Wheeler, Bull. Mus. Comp. Zool. lxiii. p. 103 (1919) (Borneo); Mann, Bull. Mus. Comp. Zool. lxiii. p. 366 (1919) (Solomon Is.); Wheeler, Proc. Calif. Acad. Sci. (4) ii. p. 276 (1919); Emery, Gen. Ins., Formic. fasc. 183, pp. 216-17 (1925); Santschi, Ins. Samoa, pt. v. fasc. 1, p. 53 (1928).

Marquesas Is.: Tahuata, ♀ ♀, Jan. 1925. Society Is.: Tahiti, Vallée de Ste. Amélie, 12 ♀ ♀ with pupæ under a board near a ruined hut 2 miles inland, 15. iv. 25. Bora Bora, 3 ♀ ♀ in soil runways under a board on the coast.

*Distribution.* Tropicopolitan. Hawaii (abundant), Fiji (abundant), Borneo, Samoa, Galapagos Is.

23. *Paratrechina (Nylanderia) bourbonica*, subsp. *bengalensis*, Forel, Journ. Bombay N. H. Soc. viii. pp. 406-7 (1894); Mann, Bull. Mus. Comp. Zool. lxiv. p. 476 (1921)