

(Fig. 10), often thickly pubescent. Ventral surface of petiole rounded (Fig. 8). Frontal carinae arising between the toruli and not longer than two torulus diameters (Fig. 13); frontal carinae rounded in section (Fig. 14). In ventral view, the hind coxae widely separated, forming with the two middle coxae a U-shaped opening (Fig. 7). The cavity of the petiolar insertion in the metasternum reaching at least to a line drawn between the anteriormost points of the metacoxal cavities (Fig. 4).

*Lasius*

### References

- Agosti, D.** (in prep.). The phylogeny of the ant tribe Formicini with a redescription of the constituting genera, including a new genus.
- Agosti, D. & Collingwood, C. A.** 1987. A provisional list of the Balkan ants (Hym. Formicidae) with a key to the worker caste. II. Key to the worker caste, including the European species without the Iberian. *Mitt. schweiz. ent. Ges.* **60**: 261–293.
- Bernard, F.** 1968. Les fourmis (Hymenoptera Formicidae) d'Europe occidentale et septentrionale. *Faune de l'Europe et du bassin Méditerranéen* **3**: 411 pp.
- Bolton, B.** 1990. Abdominal characters and status of the cerapachyine ants. *J. nat. Hist.* **24**: 53–68.
- Bolton, B. & Collingwood, C. A.** 1975. Hymenoptera, Formicidae. *Handbk Ident. Br. Insects* **6**(3c): 34 pp.
- Boven, J. K. A. van** 1976. De Mierenfauna van België (Hymenoptera: Formicidae). *Acta zool. path. antverp.* **67**: 1–191.
- Collingwood, C. A.** 1964. The identification and distribution of British ants. 1. A revised key to the species found in Britain. *Trans. Soc. Br. Ent.* **16**(3): 93–114.
- 1978. A provisional list of Iberian Formicidae with a key to the worker caste. *Eos, Madr.* **52**: 65–95.
- 1979. The Formicidae (Hymenoptera) of Fennoscandia and Denmark. *Fauna ent. scand.* **8**: 174 pp.
- Emery, C.** 1925. Hymenoptera. Fam. Formicidae, Subfam. Formicinae. In Wytzman, P., *Genera Insect.* **183**: 302 pp., 4 pls.
- Forel, A.** 1874. Les fourmis de la Suisse. *Neue Denkschr. Allg. schweiz. Ges. ges. Naturw.* 452 pp., v + 2 pls.
- Kutter, H.** 1977. Hymenoptera, Formicidae. *Insecta helv.* **6**: 298 pp.
- Mayr, G. L.** 1861. *Die Europäischen Formiciden*. Nach der analytischen Methode bearbeitet. 80 pp., 1 pl. Wien.
- Stitz, H.** 1939. Hautflügler oder Hymenoptera. 1: Ameisen oder Formicidae. *Tierwelt Dtl.* **37**: 428 pp.
- Wheeler, G. & Wheeler, J.** 1985. A simplified conspectus of the Formicidae. *Trans. Am. ent. Soc.* **3**: 255–264.