

LITERATURE CITED

- ALPERT, G.
in prep. A revision of the genus *Terataner* from the Malagasy Region.
- BOLTON, B.
1981. A revision of six minor genera of Myrmicinae (Hymenoptera: Formicidae) in the Ethiopian zoogeographical region. *Bulletin of the British Museum (Natural History), Entomology*, **43**(4): 245–307.
1986. Apterous females and shift of dispersal strategy in the *Monomorium salomonis*-group (Hymenoptera: Formicidae). *Journal of Natural History*, **20**(2): 267–272.
- BRANDÃO, C. R.
1987. Queenlessness in *Megalomyrmex* (Formicidae: Myrmicinae), with a discussion on the effects of the loss of true queens in ants. In J. Eder and H. Rembold, eds., *Chemistry and biology of social insects (Proceedings of the Tenth International Congress of the International Union for the Study of Social Insects, Munich, 1986)*, pp. 111–112. Verlag J. Peperny, Munich.
- BROWN, W. L.
1973. A comparison of the Hylean and Congo-West African rain forest ant faunas. In B. J. Meggers, E. S. Ayensu, and W. D. Duckworth, eds., *Tropical forest ecosystems in Africa and South America: a comparative review*, pp. 161–185. Smithsonian Institution Press, Washington, D.C.
- HÖLLODOBLER, B. AND E. O. WILSON
1990. *The Ants*. The Belknap Press of Harvard University Press, Cambridge, Mass. xii + 733 pp.
- PEETERS, C.
1991. Ergatoid queens and intercastes in ants: two distinct adult forms which look morphologically intermediate between workers and winged queens. *Insectes Sociaux*, **38**: 1–15.
- PEETERS, C. AND R. CREWE
1985. Worker reproduction in the ponerine ant *Ophthalamopone berthoudi*: an alternative form of eusocial organization. *Behavioral Ecology and Sociobiology*, **18**: 29–37.