

APPENDIX TABLE 1

***Stenamma westwoodii* measurements. Workers**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	12	40.30%	48.53%	44.00%	2.32%	0.669%	44.03%
AL	12	1.01	1.22	1.11	0.060	0.017	1.09
CI	11	80.91%	89.42%	84.75%	2.543%	0.767%	84.21%
EL	11	0.06	0.10	0.09	0.011	0.003	0.08
HL	11	0.77	0.92	0.85	0.046	0.014	0.87
HW	11	0.66	0.79	0.72	0.041	0.013	0.72
OI	11	7.27%	12.50%	10.15%	1.436%	0.433%	10.00%
PH	12	0.20	0.25	0.22	0.016	0.005	0.21
PL	12	0.35	0.50	0.42	0.042	0.012	0.42
PRW	12	0.43	0.55	0.49	0.033	0.009	0.49
PW	12	0.15	0.19	0.17	0.015	0.004	0.17
PPH	12	0.21	0.26	0.23	0.016	0.005	0.23
PPL	12	0.21	0.29	0.26	0.024	0.007	0.26
PPW	12	0.20	0.29	0.23	0.028	0.008	0.23
SI	11	85.71%	97.62%	91.79%	3.716%	1.120%	91.67%
SL	11	0.60	0.71	0.66	0.034	0.010	0.66
TL	11	3.32	4.03	3.67	0.228	0.069	3.67

***Stenamma westwoodii* measurements (continued). Gynes**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	5	45.45%	50.59%	47.90%	2.09%	0.936%	48.39%
AL	5	1.37	1.50	1.45	0.053	0.024	1.47
CI	5	82.76%	89.66%	87.31%	2.942%	1.316%	88.96%
EL	5	0.21	0.26	0.24	0.018	0.008	0.24
HL	5	0.92	0.93	0.93	0.008	0.004	0.93
HW	5	0.77	0.84	0.81	0.026	0.012	0.82
OI	5	22.61%	28.07%	25.74%	1.975%	0.883%	25.86%
PH	5	0.26	0.29	0.28	0.013	0.006	0.27
PL	5	0.50	0.60	0.54	0.038	0.017	0.55
PRW	5	0.64	0.72	0.69	0.034	0.015	0.69
PW	5	0.19	0.24	0.22	0.018	0.008	0.21
PPH	5	0.29	0.31	0.29	0.007	0.003	0.29
PPL	5	0.29	0.34	0.32	0.021	0.009	0.32
PPW	5	0.27	0.31	0.29	0.014	0.006	0.29
SI	5	84.31%	95.83%	89.74%	4.512%	2.018%	90.20%
SL	5	0.69	0.74	0.72	0.020	0.009	0.72
TL	5	4.44	4.75	4.65	0.127	0.057	4.72