

APPENDIX TABLE 3.

***Stenamma sardoum* measurements. Workers**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	3	42.03%	47.62%	44.04%	3.11%	1.795%	42.47%
AL	3	1.01	1.18	1.10	0.081	0.047	1.11
CI	3	82.76%	86.54%	84.92%	1.946%	1.124%	85.45%
EL	3	0.08	0.10	0.09	0.009	0.005	0.08
HL	3	0.84	0.93	0.89	0.048	0.028	0.89
HW	3	0.72	0.77	0.75	0.025	0.014	0.76
OI	3	9.09%	10.34%	9.68%	0.630%	0.364%	9.62%
PH	3	0.19	0.24	0.21	0.028	0.016	0.19
PL	3	0.37	0.42	0.39	0.025	0.014	0.39
PRW	3	0.47	0.50	0.48	0.016	0.009	0.48
PW	3	0.16	0.18	0.17	0.009	0.005	0.18
PPH	3	0.19	0.23	0.21	0.016	0.009	0.21
PPL	3	0.23	0.26	0.25	0.19	0.011	0.26
PPW	3	0.19	0.24	0.22	0.025	0.014	0.23
SI	3	89.36%	93.75%	92.15%	2.422%	1.399%	93.33%
SL	3	0.68	0.72	0.69	0.028	0.016	0.68
TL	3	3.51	3.93	3.65	0.237	0.137	3.53

APPENDIX TABLE 4.

***Stenamma orousseti* measurements. Workers**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	11	41.56%	49.23%	45.57%	2.33%	0.703%	45.71%
AL	11	0.87	1.24	1.07	0.096	0.029	1.06
CI	11	79.55%	87.27%	84.07%	2.489%	0.750%	84.91%
EL	11	0.08	0.11	0.09	0.011	0.003	0.09
HL	11	0.71	0.93	0.85	0.062	0.019	0.87
HW	11	0.56	0.77	0.71	0.061	0.018	0.72
OI	11	8.93%	12.07%	10.61%	0.892%	0.269%	10.91%
PH	11	0.19	0.26	0.23	0.022	0.007	0.23
PL	11	0.34	0.50	0.43	0.044	0.013	0.43
PRW	11	0.39	0.52	0.49	0.040	0.012	0.51
PW	11	0.14	0.19	0.17	0.013	0.004	0.17
PPH	11	0.20	0.26	0.23	0.019	0.006	0.24
PPL	11	0.19	0.29	0.25	0.032	0.010	0.24
PPW	11	0.19	0.26	0.23	0.018	0.006	0.23
SI	11	81.25%	98.92%	87.78%	5.604%	1.690%	86.96%
SL	11	0.52	0.74	0.62	0.053	0.016	0.63
TL	11	2.93	4.06	3.67	0.312	0.094	3.72