

APPENDIX TABLE 9.

***Stenamma striatulum* measurements. Workers**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	28	40.91%	47.62%	45.02%	1.995%	0.377%	45.08%
AL	28	0.89	1.16	1.01	0.070	0.013	1.01
CI	28	80.85%	90.57%	86.35%	2.515%	0.475%	86.36%
EL	28	0.06	0.11	0.09	0.012	0.002	0.10
HL	28	0.69	0.89	0.79	0.054	0.010	0.77
HW	28	0.60	0.77	0.68	0.051	0.010	0.68
OI	28	9.09%	14.58%	11.78%	1.572%	0.297%	12.37%
PH	28	0.19	0.26	0.22	0.017	0.003	0.23
PL	28	0.34	0.45	0.37	0.029	0.005	0.37
PRW	28	0.39	0.52	0.46	0.039	0.007	0.44
PW	28	0.14	0.18	0.16	0.011	0.002	0.16
PPH	28	0.19	0.26	0.23	0.018	0.003	0.23
PPL	28	0.18	0.27	0.23	0.030	0.006	0.23
PPW	28	0.19	0.26	0.22	0.018	0.003	0.23
SI	28	82.98%	97.37%	89.91%	3.830%	0.724%	90.36%
SL	28	0.55	0.66	0.61	0.029	0.005	0.61
TL	28	2.95	3.75	3.37	0.230	0.044	3.34

***Stenamma striatulum* measurements (continued). Gynes**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	9	46.75%	52.78%	50.48%	2.094%	0.698%	51.19%
AL	9	1.13	1.35	1.21	0.071	0.024	1.18
CI	9	85.71%	92.00%	88.37%	2.376%	0.792%	88.24%
EL	9	0.17	0.23	0.19	0.016	0.005	0.19
HL	9	0.77	0.92	0.81	0.044	0.015	0.81
HW	9	0.68	0.82	0.71	0.045	0.015	0.71
OI	9	21.00%	25.00%	23.55%	1.349%	0.450%	24.00%
PH	9	0.23	0.27	0.25	0.015	0.005	0.25
PL	9	0.39	0.50	0.43	0.036	0.012	0.42
PRW	9	0.57	0.69	0.61	0.036	0.012	0.61
PW	9	0.17	0.23	0.19	0.015	0.005	0.19
PPH	8	0.24	0.29	0.26	0.014	0.005	0.26
PPL	8	0.24	0.32	0.27	0.030	0.011	0.26
PPW	8	0.26	0.31	0.27	0.019	0.007	0.26
SI	9	84.44%	90.91%	87.68%	2.350%	0.783%	88.24%
SL	9	0.60	0.71	0.63	0.033	0.011	0.61
TL	8	3.77	4.46	3.94	0.224	0.079	3.86