

APPENDIX TABLE 13.

***Stenamma picetojuglandeti* measurements. Workers**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	3	42.42%	46.77%	44.71%	2.183%	1.260%	44.93%
AL	3	1.00	1.11	1.06	0.057	0.033	1.06
CI	3	83.02%	88.46%	85.46%	2.764%	1.596%	84.91%
EL	3	0.10	0.11	0.10	0.009	0.005	0.10
HL	3	0.84	0.85	0.85	0.009	0.005	0.85
HW	3	0.71	0.74	0.72	0.016	0.009	0.72
OI	3	11.32%	13.46%	12.03%	1.236%	0.714%	11.32%
PH	3	0.21	0.23	0.21	0.009	0.005	0.21
PL	3	0.37	0.39	0.38	0.009	0.005	0.37
PRW	3	0.45	0.50	0.47	0.025	0.014	0.47
PW	3	0.16	0.18	0.17	0.009	0.005	0.16
PPH	3	0.23	0.23	0.23	0.000	0.000	0.23
PPL	3	0.24	0.27	0.26	0.016	0.009	0.26
PPW	3	0.23	0.24	0.23	0.009	0.005	0.23
SI	3	82.61%	88.64%	85.23%	3.909%	1.784%	84.44%
SL	3	0.61	0.63	0.62	0.009	0.005	0.61
TL	3	3.53	3.70	3.64	0.102	0.059	3.70

***Stenamma picetojuglandeti* measurements (continued). Gynes**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	6	46.99%	51.28%	49.20%	1.682%	0.687%	49.10%
AL	6	1.26	1.34	1.30	0.036	0.015	1.30
CI	6	85.19%	87.27%	86.28%	1.026%	0.419%	86.38%
EL	6	0.21	0.24	0.23	0.017	0.007	0.24
HL	6	0.87	0.90	0.88	0.013	0.005	0.88
HW	6	0.74	0.77	0.76	0.016	0.006	0.76
OI	6	24.07%	27.78%	26.21%	1.684%	0.687%	27.03%
PH	6	0.23	0.26	0.24	0.013	0.005	0.23
PL	6	0.40	0.47	0.44	0.024	0.010	0.44
PRW	6	0.61	0.66	0.64	0.017	0.007	0.64
PW	6	0.19	0.21	0.20	0.008	0.003	0.19
PPH	6	0.23	0.26	0.25	0.013	0.005	0.26
PPL	6	0.24	0.27	0.26	0.013	0.005	0.27
PPW	6	0.24	0.27	0.26	0.016	0.006	0.27
SI	6	82.61%	86.96%	84.81%	1.578%	0.644%	85.26%
SL	6	0.61	0.66	0.64	0.018	0.007	0.64
TL	6	4.15	4.40	4.25	0.098	0.040	4.23