

***Stenamma nipponense* measurements (continued). Males**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	3	49.41%	56.16%	53.76%	3.771%	2.177%	55.70%
AL	3	1.18	1.37	1.27	0.097	0.056	1.27
CI	3	79.49%	85.37%	82.45%	2.940%	1.697%	82.50%
EL	3	0.21	0.26	0.24	0.025	0.014	0.24
HL	3	0.63	0.66	0.64	0.016	0.009	0.64
HW	3	0.50	0.56	0.53	0.032	0.019	0.53
OI	3	31.71%	41.03%	36.74%	4.705%	2.716%	37.50%
PH	3	0.19	0.24	0.21	0.025	0.014	0.21
PL	3	0.35	0.48	0.41	0.065	0.038	0.35
PRW	3	0.66	0.71	0.68	0.025	0.014	0.68
PW	3	0.16	0.18	0.17	0.009	0.005	0.18
PPH	3	0.21	0.23	0.22	0.009	0.005	0.23
PPL	3	0.19	0.32	0.25	0.065	0.038	0.24
PPW	3	0.19	0.24	0.21	0.025	0.014	0.21
SI	3	42.42%	51.61%	45.63%	5.185%	2.993%	42.86%
SL	3	0.23	0.26	0.24	0.016	0.009	0.24
TL	3	3.59	4.03	3.75	0.238	0.138	3.64

APPENDIX TABLE 17.

***Stenamma kuriense* measurements. Workers**

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	2	42.42%	46.88%	44.65%	3.147%	2.225%	44.65%
AL	2	1.03	1.06	1.05	0.023	0.016	1.05
CI	2	82.35%	88.00%	85.15%	3.993%	2.824%	85.18%
EL	2	0.11	0.11	0.11	0.000	0.000	0.11
HL	2	0.81	0.82	0.81	0.011	0.008	0.81
HW	2	0.68	0.71	0.69	0.023	0.016	0.69
OI	2	13.73%	14.00%	13.86%	0.194%	0.137%	13.86%
PH	2	0.24	0.24	0.24	0.000	0.000	0.24
PL	2	0.37	0.43	0.40	0.046	0.032	0.40
PRW	2	0.45	0.48	0.47	0.023	0.016	0.47
PW	2	0.21	0.23	0.22	0.011	0.008	0.22
PPH	2	0.23	0.23	0.23	0.000	0.000	0.23
PPL	2	0.26	0.27	0.27	0.011	0.008	0.27
PPW	2	0.26	0.29	0.27	0.023	0.016	0.27
SI	2	84.09%	90.48%	87.28%	4.515%	3.193%	87.28%
SL	2	0.60	0.61	0.60	0.011	0.008	0.60
TL	2	3.45	3.61	3.53	0.114	0.081	3.53