

APPENDIX TABLE 18.

Stenamma ussuricense measurements. Workers

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	17	40.28%	47.76%	44.12%	2.002%	0.486%	44.29%
AL	17	0.98	1.18	1.10	0.059	0.014	1.11
CI	17	82.22%	92.16%	86.08%	3.021%	0.733%	85.42%
EL	17	0.08	0.12	0.10	0.011	0.003	0.10
HL	17	0.72	0.87	0.82	0.039	0.010	0.83
HW	17	0.60	0.77	0.71	0.040	0.010	0.71
OI	17	10.42%	13.89%	12.59%	1.059%	0.257%	12.96%
PH	17	0.19	0.22	0.20	0.010	0.002	0.20
PL	17	0.35	0.47	0.42	0.032	0.008	0.42
PRW	17	0.42	0.52	0.48	0.029	0.007	0.48
PW	17	0.14	0.20	0.17	0.013	0.003	0.17
PPH	17	0.18	0.23	0.20	0.012	0.003	0.21
PPL	17	0.24	0.30	0.26	0.018	0.004	0.26
PPW	17	0.19	0.24	0.22	0.017	0.004	0.23
SI	17	80.85%	91.89%	86.55%	3.343%	0.811%	86.36%
SL	17	0.55	0.66	0.61	0.027	0.007	0.61
TL	16	3.30	3.86	3.62	0.191	0.048	3.63

Stenamma ussuricense measurements (continued). Gynes

Measurement	n =	Minimum	Maximum	Mean	Standard Deviation	Standard Error of Mean	Median
AI	4	46.07%	48.84%	47.56%	1.439%	0.720%	47.67%
AL	4	1.29	1.43	1.38	0.065	0.032	1.40
CI	4	83.48%	95.37%	88.44%	5.185%	2.592%	87.45%
EL	4	0.23	0.24	0.23	0.008	0.004	0.23
HL	4	0.87	0.93	0.90	0.023	0.012	0.90
HW	4	0.77	0.83	0.79	0.027	0.013	0.78
OI	4	25.00%	26.09%	25.56%	0.528%	0.264%	25.58%
PH	4	0.24	0.27	0.25	0.011	0.006	0.25
PL	4	0.52	0.55	0.54	0.015	0.008	0.54
PRW	4	0.63	0.68	0.66	0.020	0.010	0.66
PW	4	0.19	0.21	0.20	0.010	0.005	0.19
PPH	4	0.23	0.27	0.25	0.014	0.007	0.26
PPL	4	0.28	0.34	0.31	0.024	0.012	0.31
PPW	4	0.24	0.29	0.26	0.022	0.011	0.26
SI	4	81.55%	84.85%	83.79%	1.506%	0.753%	84.38%
SL	4	0.65	0.68	0.66	0.014	0.007	0.66
TL	4	4.34	4.64	4.50	0.126	0.063	4.51