

chosen to parallel the much-used and well-understood words *hormone* and *pheromone*. Allomone has been used in informal discussions in the United States for two or three years, and it seems to meet a need. The term grew out of conversations between T. Eisner and myself, and we are currently wondering whether a more extended treatment of the kinds and roles of allomonones would be worth publishing.

LITERATURE CITED

- Bethe, A. 1932. Vernachlässigte Hormone. *Naturwissenschaften* 20:177-181.
- Gösswald, K. 1953. Histologische Untersuchungen an der arbeiterlosen Ameise *Teleutomyrmex schneideri* Kutter (Hym. Formicidae). *Mitteilungen Schweiz. Entomol. Ges.* 26: 81-126.
- Janet, C. 1898. Études sur les fourmis, les guêpes et les abeilles. Note 17. Système glandulaire tégumentaire de la *Myrmica rubra*. Observations diverses sur les fourmis. G. Carré et C. Naud, Paris. 28 p.
- Tulloch, G. S. 1936. The metasternal glands of the ant, *Myrmica rubra*, with special reference to the Golgi bodies and the intracellular canaliculi. *Ann. Entomol. Soc. Amer.* 29: 81-84.
- Tulloch, G. S., J. E. Shapiro, and B. Hershenov. 1962. The ultrastructure of the metasternal glands of ants. *Brooklyn Entomol. Soc. Bull.* 77: 91-101.

WILLIAM L. BROWN, JR.

DEPARTMENT OF ENTOMOLOGY
CORNELL UNIVERSITY
ITHACA, NEW YORK 14850
June 21, 1967